



### TYPES

- One (CPHN1-RO) or two rows (CPHN2-RO) of tubes

### TUBES

- Horizontal, square 25 x 25 mm

### COLLECTORS

- Vertical, round Ø 35 mm

### COLOURS


- Standard colour white RAL 9016

### SPECIAL

- CPHN1-RO also available as toilet radiator (600 x 415 mm)

### TECHNICAL

- Welded by means of resistance welding robots (invisible weld seams)
- KTL priming coat, powder coating
- Standard operating pressure: 10 bar
- Maximum operating temperature: 120°C




### Head Office

The Radiator Centre, 7 Holywell Hill, St Albans, AL1 1EU

Tel: 01727 840344

## CARRÉ HORIZONTAL (CPHN1-RO)



CPHN1-RO

PRODUCT GROUP: STEEL

REFERENCE CODE CUSTOM MADE CARRÉ HORIZONTAL						TECHNICAL DATA						STANDARD COLOUR	OTHER COLOURS			
						tubes	width (L mm)	height (H mm)	75/65/20 (Watt) (ø50K)	55/45/20 (Watt) (ø30K)	n-exp.	weight (kg)	water content (l)	electr. resistance (Watt)	price RAL 9016 (€)	price colour (€)
<b>REF. NR. CARRÉ HORIZONTAL CPHN1-RO : 11133</b>																
<b>11133</b>	0600	0295	XXXX	YYYY	-0000	10	600	295	221	117	1,25	6,19	2,85	-	231	266
		0355				12	600	355	259	137	1,25	7,41	3,60	-	280	322
		0415				14	600	415	296	156	1,25	8,63	4,35	-	324	373
		0475				16	600	475	333	176	1,25	9,86	5,10	-	373	429
		0535				18	600	535	369	195	1,25	11,08	5,85	-	419	482
		0595				20	600	595	404	213	1,25	12,30	6,60	-	464	534
		0655				22	600	655	439	231	1,26	13,42	6,94	-	512	589
		0775				26	600	775	507	266	1,26	15,67	7,63	-	604	695
		0895				30	600	895	574	302	1,26	17,91	8,31	-	697	802
		<b>11133</b>				0800	0295	XXXX	YYYY	-0000	10	800	295	295	156	1,25
0355	12		800	355	346		183				1,25	9,88	4,80	-	338	389
0415	14		800	415	395		209				1,25	11,51	5,80	-	395	454
0475	16		800	475	444		234				1,25	13,14	6,80	-	454	522
0535	18		800	535	492		260				1,25	14,77	7,80	-	510	587
0595	20		800	595	538		284				1,25	16,40	8,80	-	566	651
0655	22		800	655	585		307				1,26	17,90	9,26	-	623	716
0775	26		800	775	676		355				1,26	20,89	10,17	-	738	849
0895	30		800	895	766		402				1,26	23,88	11,08	-	850	978
<b>11133</b>	1000		0295	XXXX	YYYY		-0000				10	1000	295	369	195	1,25
		0355	12			1000		355	432	228	1,25	12,35	6,00	-	395	454
		0415	14			1000		415	494	261	1,25	14,39	7,25	-	461	530
		0475	16			1000		475	555	293	1,25	16,43	8,50	-	529	608
		0535	18			1000		535	615	325	1,25	18,46	9,75	-	595	684
		0595	20			1000		595	673	355	1,25	20,50	11,00	-	661	760
		0655	22			1000		655	731	384	1,26	22,37	11,57	-	728	837
		0775	26			1000		775	845	444	1,26	26,11	12,71	-	858	987
		0895	30			1000		895	957	503	1,26	29,85	13,85	-	990	1139
		<b>11133</b>	1200			0295		XXXX	YYYY	-0000	10	1200	295	443	234	1,25
0355	12			1200	355	518	274				1,25	14,82	7,20	-	450	518
0415	14			1200	415	593	313				1,25	17,27	8,70	-	524	603
0475	16			1200	475	666	352				1,25	19,72	10,20	-	598	688
0535	18			1200	535	738	390				1,25	22,15	11,70	-	674	775
0595	20			1200	595	808	427				1,25	24,60	13,20	-	750	863
0655	22			1200	655	877	461				1,26	26,84	13,88	-	823	946
0775	26			1200	775	1014	533				1,26	31,33	15,25	-	974	1120
0895	30			1200	895	1148	603				1,26	35,82	16,62	-	1121	1289
<b>11133</b>	1400			0295	XXXX	YYYY	-0000				10	1400	295	517	273	1,25
		0355	12	1400				355	605	319	1,25	17,29	8,40	-	498	573
		0415	14	1400				415	692	365	1,25	20,15	10,15	-	584	672
		0475	16	1400				475	777	410	1,25	23,00	11,90	-	666	766
		0535	18	1400				535	861	455	1,25	25,84	13,65	-	750	863
		0595	20	1400				595	942	497	1,25	28,70	15,40	-	832	957
		0655	22	1400				655	1023	537	1,26	31,32	16,20	-	916	1053
		0775	26	1400				775	1183	622	1,26	36,55	17,79	-	1081	1243
		0895	30	1400				895	1340	704	1,26	41,79	19,39	-	1245	1432

### Head Office

The Radiator Centre, 7 Holywell Hill, St Albans, AL1 1EU

Tel: 01727 840344

PRODUCT GROUP: STEEL

REFERENCE CODE CUSTOM MADE CARRÉ HORIZONTAL						TECHNICAL DATA						STANDARD COLOUR	OTHER COLOURS			
						tubes	width (L mm)	height (H mm)	75/65/20 (Watt) (ø50K)	55/45/20 (Watt) (ø30K)	n-exp.	weight (kg)	water content (l)	electr. resistance (Watt)	price RAL 9016 (€)	price colour (€)
<b>REF. NR. CARRÉ HORIZONTAL CPHN1-RD : 11133</b>																
<b>11133</b>	1600	0295	XXXX	YYYY	-0000	10	1600	295	590	312	1,25	16,50	7,60	-	456	524
		0355				12	1600	355	691	365	1,25	19,76	9,60	-	544	626
		0415				14	1600	415	790	417	1,25	23,02	11,60	-	637	733
		0475				16	1600	475	888	469	1,25	26,29	13,60	-	730	840
		0535				18	1600	535	984	520	1,25	29,54	15,60	-	821	944
		0595				20	1600	595	1077	569	1,25	32,80	17,60	-	909	1045
		0655				22	1600	655	1170	615	1,26	35,79	18,51	-	1001	1151
		0775				26	1600	775	1352	710	1,26	41,78	20,34	-	1185	1363
		0895				30	1600	895	1531	804	1,26	47,76	22,16	-	1367	1572
		<b>11133</b>				1800	0295	XXXX	YYYY	-0000	10	1800	295	664	351	1,25
0355	12		1800	355	778		411				1,25	22,23	10,80	-	595	684
0415	14		1800	415	889		469				1,25	25,90	13,05	-	691	795
0475	16		1800	475	999		528				1,25	29,57	15,30	-	788	906
0535	18		1800	535	1107		585				1,25	33,23	17,55	-	889	1022
0595	20		1800	595	1211		639				1,25	36,90	19,80	-	989	1137
0655	22		1800	655	1316		691				1,26	40,27	20,83	-	1084	1247
0775	26		1800	775	1521		799				1,26	47,00	22,88	-	1284	1477
0895	30		1800	895	1723		906				1,26	53,73	24,93	-	1483	1705
<b>11133</b>	2000		0295	XXXX	YYYY		-0000				10	2000	295	738	390	1,25
		0355	12			2000		355	864	456	1,25	24,70	12,00	-	636	731
		0415	14			2000		415	988	522	1,25	28,78	14,50	-	743	854
		0475	16			2000		475	1110	586	1,25	32,86	17,00	-	850	978
		0535	18			2000		535	1230	650	1,25	36,92	19,50	-	957	1101
		0595	20			2000		595	1346	711	1,25	41,00	22,00	-	1062	1221
		0655	22			2000		655	1462	768	1,26	44,74	23,14	-	1167	1342
		0775	26			2000		775	1690	888	1,26	52,22	25,42	-	1380	1587
		0895	30			2000		895	1914	1006	1,26	59,70	27,70	-	1593	1832
		<b>11133</b>	2200			0295		XXXX	YYYY	-0000	10	2200	295	812	429	1,25
0355	12			2200	355	950	502				1,25	27,17	13,20	-	680	782
0415	14			2200	415	1087	574				1,25	31,66	15,95	-	791	910
0475	16			2200	475	1221	645				1,25	36,15	18,70	-	905	1041
0535	18			2200	535	1353	714				1,25	40,61	21,45	-	1020	1173
0595	20			2200	595	1481	782				1,25	45,10	24,20	-	1134	1304
0655	22			2200	655	1608	845				1,26	49,21	25,45	-	1245	1432
0775	26			2200	775	1859	977				1,26	57,44	27,96	-	1472	1693
0895	30			2200	895	2105	1106				1,26	65,67	30,47	-	1700	1955
<b>11133</b>	2400			0295	XXXX	YYYY	-0000				10	2400	295	886	468	1,25
		0355	12	2400				355	1037	548	1,25	29,64	14,40	-	720	828
		0415	14	2400				415	1186	626	1,25	34,54	17,40	-	842	968
		0475	16	2400				475	1332	703	1,25	39,43	20,40	-	961	1105
		0535	18	2400				535	1476	779	1,25	44,30	23,40	-	1082	1244
		0595	20	2400				595	1615	853	1,25	49,20	26,40	-	1204	1385
		0655	22	2400				655	1754	922	1,26	53,69	27,77	-	1323	1521
		0775	26	2400				775	2028	1065	1,26	62,66	30,50	-	1564	1799
		0895	30	2400				895	2297	1207	1,26	71,64	33,24	-	1804	2075

### Head Office

The Radiator Centre, 7 Holywell Hill, St Albans, AL1 1EU

Tel: 01727 840344

PRODUCT GROUP: STEEL


REFERENCE CODE CUSTOM MADE CARRÉ HORIZONTAL						TECHNICAL DATA					STANDARD COLOUR	OTHER COLOURS				
						tubes	width (L mm)	height (H mm)	75/65/20 (Watt) (ø50K)	55/45/20 (Watt) (ø30K)	n-exp.	weight (kg)	water content (l)	electr. resistance (Watt)	price RAL 9016 (€)	price colour (€)
<b>REF. NR. CARRÉ HORIZONTAL CPHN1-RD : 11133</b>																
<b>11133</b>	2600	0295	XXXX	YYYY	-0000	10	2600	295	959	506	1,25	26,81	12,35	-	<b>635</b>	<b>730</b>
		0355				12	2600	355	1123	593	1,25	32,11	15,60	-	<b>761</b>	<b>875</b>
		0415				14	2600	415	1284	678	1,25	37,41	18,85	-	<b>889</b>	<b>1022</b>
		0475				16	2600	475	1443	762	1,25	42,72	22,10	-	<b>1015</b>	<b>1167</b>
		0535				18	2600	535	1599	844	1,25	48,00	25,35	-	<b>1146</b>	<b>1318</b>
		0595				20	2600	595	1750	924	1,25	53,30	28,60	-	<b>1271</b>	<b>1462</b>
		0655				22	2600	655	1901	999	1,26	58,16	30,06	-	<b>1399</b>	<b>1609</b>
		0775				26	2600	775	2197	1154	1,26	67,89	33,05	-	<b>1651</b>	<b>1899</b>
		0895				30	2600	895	2488	1307	1,26	77,61	36,01	-	<b>1907</b>	<b>2193</b>
		<b>11133</b>				2800	0295	XXXX	YYYY	-0000	10	2800	295	1033	545	1,25
0355	12		2800	355	1210		639				1,25	34,58	16,80	-	<b>802</b>	<b>922</b>
0415	14		2800	415	1383		730				1,25	40,29	20,30	-	<b>933</b>	<b>1073</b>
0475	16		2800	475	1554		821				1,25	46,00	23,80	-	<b>1070</b>	<b>1231</b>
0535	18		2800	535	1722		909				1,25	51,69	27,30	-	<b>1204</b>	<b>1385</b>
0595	20		2800	595	1884		995				1,25	57,40	30,80	-	<b>1337</b>	<b>1538</b>
0655	22		2800	655	2047		1075				1,26	62,64	32,40	-	<b>1471</b>	<b>1692</b>
0775	26		2800	775	2366		1243				1,26	73,11	35,59	-	<b>1738</b>	<b>1999</b>
0895	30		2800	895	2680		1408				1,26	83,58	38,78	-	<b>2007</b>	<b>2308</b>
<b>11133</b>	3000		0295	XXXX	YYYY		-0000				10	3000	295	1107	585	1,25
		0355	12			3000		355	1296	684	1,25	37,05	18,00	-	<b>841</b>	<b>967</b>
		0415	14			3000		415	1482	783	1,25	43,17	21,75	-	<b>982</b>	<b>1129</b>
		0475	16			3000		475	1665	879	1,25	49,29	25,50	-	<b>1121</b>	<b>1289</b>
		0535	18			3000		535	1845	974	1,25	55,38	29,25	-	<b>1264</b>	<b>1454</b>
		0595	20			3000		595	2019	1066	1,25	61,50	33,00	-	<b>1401</b>	<b>1611</b>
		0655	22			3000		655	2193	1152	1,26	67,11	34,71	-	<b>1542</b>	<b>1773</b>
		0775	26			3000		775	2535	1332	1,26	78,33	38,13	-	<b>1823</b>	<b>2096</b>
		0895	30			3000		895	2871	1508	1,26	89,55	41,55	-	<b>2105</b>	<b>2421</b>

### Head Office

The Radiator Centre, 7 Holywell Hill, St Albans, AL1 1EU

Tel: 01727 840344

## CARRÉ HORIZONTAL (CPHN2-RO)



CPHN2-RO

PRODUCT GROUP: STEEL

REFERENCE CODE CUSTOM MADE CARRÉ HORIZONTAL						TECHNICAL DATA						STANDARD COLOUR	OTHER COLOURS			
						tubes	width (L mm)	height (H mm)	75/65/20 (Watt) (€50K)	55/45/20 (Watt) (€30K)	n-exp.	weight (kg)	water content (l)	electr. resistance (Watt)	price RAL 9016 (€)	price colour (€)
<b>REF. NR. CARRÉ HORIZONTAL CPHN2-RO : 11134</b>																
<b>11134</b>	0600	0295	XXXX	YYYY	-0000	10	600	295	377	200	1,24	11,94	6,06	-	455	523
		0355				12	600	355	459	242	1,25	14,26	7,27	-	542	623
		0415				14	600	415	539	282	1,27	16,57	8,48	-	635	730
		0475				16	600	475	617	321	1,28	18,89	9,70	-	726	835
		0535				18	600	535	693	359	1,29	21,20	10,91	-	818	941
		0595				20	600	595	766	394	1,30	23,52	12,12	-	905	1041
		0655				22	600	655	836	430	1,30	25,85	13,39	-	997	1147
		0775				26	600	775	967	498	1,30	30,50	15,94	-	1179	1356
		0895				30	600	895	1087	560	1,30	35,16	18,48	-	1362	1566
<b>11134</b>	0800	0295	XXXX	YYYY	-0000	10	800	295	503	267	1,24	15,92	8,08	-	553	636
		0355				12	800	355	612	323	1,25	19,01	9,70	-	664	764
		0415				14	800	415	719	376	1,27	22,10	11,31	-	773	889
		0475				16	800	475	823	428	1,28	25,18	12,93	-	883	1015
		0535				18	800	535	924	478	1,29	28,27	14,54	-	995	1144
		0595				20	800	595	1021	526	1,30	31,36	16,16	-	1106	1272
		0655				22	800	655	1114	573	1,30	34,46	17,86	-	1215	1397
		0775				26	800	775	1290	664	1,30	40,67	21,25	-	1435	1650
		0895				30	800	895	1449	746	1,30	46,88	24,64	-	1656	1904
<b>11134</b>	1000	0295	XXXX	YYYY	-0000	10	1000	295	629	334	1,24	19,90	10,10	-	640	736
		0355				12	1000	355	765	404	1,25	23,76	12,12	-	773	889
		0415				14	1000	415	899	470	1,27	27,62	14,14	-	901	1036
		0475				16	1000	475	1029	535	1,28	31,48	16,16	-	1030	1185
		0535				18	1000	535	1155	598	1,29	35,34	18,18	-	1156	1329
		0595				20	1000	595	1276	657	1,30	39,20	20,20	-	1288	1481
		0655				22	1000	655	1393	717	1,30	43,08	22,32	-	1418	1631
		0775				26	1000	775	1612	830	1,30	50,84	26,56	-	1674	1925
		0895				30	1000	895	1811	932	1,30	58,60	30,80	-	1930	2220
<b>11134</b>	1200	0295	XXXX	YYYY	-0000	10	1200	295	755	401	1,24	23,88	12,12	-	729	838
		0355				12	1200	355	918	485	1,25	28,51	14,54	-	879	1011
		0415				14	1200	415	1079	564	1,27	33,14	16,97	-	1020	1173
		0475				16	1200	475	1235	642	1,28	37,78	19,39	-	1166	1341
		0535				18	1200	535	1386	717	1,29	42,41	21,82	-	1313	1510
		0595				20	1200	595	1531	788	1,30	47,04	24,24	-	1459	1678
		0655				22	1200	655	1672	861	1,30	51,70	26,78	-	1602	1842
		0775				26	1200	775	1934	996	1,30	61,01	31,87	-	1899	2184
		0895				30	1200	895	2173	1119	1,30	70,32	36,96	-	2187	2515
<b>11134</b>	1400	0295	XXXX	YYYY	-0000	10	1400	295	881	468	1,24	27,86	14,14	-	810	932
		0355				12	1400	355	1071	566	1,25	33,26	16,97	-	974	1120
		0415				14	1400	415	1259	658	1,27	38,67	19,80	-	1136	1306
		0475				16	1400	475	1441	749	1,28	44,07	22,62	-	1297	1492
		0535				18	1400	535	1617	837	1,29	49,48	25,45	-	1459	1678
		0595				20	1400	595	1786	919	1,30	54,88	28,28	-	1621	1864
		0655				22	1400	655	1950	1004	1,30	60,31	31,25	-	1783	2050
		0775				26	1400	775	2257	1162	1,30	71,18	37,18	-	2109	2425
		0895				30	1400	895	2535	1305	1,30	82,04	43,12	-	2430	2795

**Head Office**

The Radiator Centre, 7 Holywell Hill, St Albans, AL1 1EU

Tel: 01727 840344

PRODUCT GROUP: STEEL

REFERENCE CODE CUSTOM MADE CARRÉ HORIZONTAL						TECHNICAL DATA						STANDARD COLOUR	OTHER COLOURS			
						tubes	width (L mm)	height (H mm)	75/65/20 (Watt) (ø50K)	55/45/20 (Watt) (ø30K)	n-exp.	weight (kg)	water content (l)	electr. resistance (Watt)	price RAL 9016 (€)	price colour (€)
<b>REF. NR. CARRÉ HORIZONTAL CPHN2-RD : 11134</b>																
<b>11134</b>	1600	0295	XXXX	YYYY	-0000	10	1600	295	1006	534	1,24	31,84	16,16	-	888	1021
		0355				12	1600	355	1224	646	1,25	38,02	19,39	-	1066	1226
		0415				14	1600	415	1438	752	1,27	44,19	22,62	-	1243	1429
		0475				16	1600	475	1646	856	1,28	50,37	25,86	-	1422	1635
		0535				18	1600	535	1848	956	1,29	56,54	29,09	-	1598	1838
		0595				20	1600	595	2042	1051	1,30	62,72	32,32	-	1778	2045
		0655				22	1600	655	2229	1147	1,30	68,93	35,71	-	1955	2248
		0775				26	1600	775	2579	1328	1,30	81,34	42,50	-	2310	2657
		0895				30	1600	895	2898	1492	1,30	93,76	49,28	-	2663	3062
		<b>11134</b>				1800	0295	XXXX	YYYY	-0000	10	1800	295	1132	601	1,24
0355	12		1800	355	1377		727				1,25	42,77	21,82	-	1156	1329
0415	14		1800	415	1618		846				1,27	49,72	25,45	-	1347	1549
0475	16		1800	475	1852		963				1,28	56,66	29,09	-	1541	1772
0535	18		1800	535	2079		1076				1,29	63,61	32,72	-	1732	1992
0595	20		1800	595	2297		1182				1,30	70,56	36,36	-	1928	2217
0655	22		1800	655	2507		1290				1,30	77,54	40,18	-	2116	2433
0775	26		1800	775	2902		1494				1,30	91,51	47,81	-	2505	2881
0895	30		1800	895	3260		1678				1,30	105,48	55,44	-	2888	3321
<b>11134</b>	2000		0295	XXXX	YYYY		-0000				10	2000	295	1258	668	1,24
		0355	12			2000		355	1530	808	1,25	47,52	24,24	-	1240	1426
		0415	14			2000		415	1798	940	1,27	55,24	28,28	-	1452	1670
		0475	16			2000		475	2058	1070	1,28	62,96	32,32	-	1656	1904
		0535	18			2000		535	2310	1195	1,29	70,68	36,36	-	1864	2144
		0595	20			2000		595	2552	1314	1,30	78,40	40,40	-	2071	2382
		0655	22			2000		655	2786	1434	1,30	86,16	44,64	-	2278	2620
		0775	26			2000		775	3224	1660	1,30	101,68	53,12	-	2688	3091
		0895	30			2000		895	3622	1864	1,30	117,20	61,60	-	3106	3572
		<b>11134</b>	2200			0295		XXXX	YYYY	-0000	10	2200	295	1384	735	1,24
0355	12			2200	355	1683	889				1,25	52,27	26,66	-	1326	1525
0415	14			2200	415	1978	1034				1,27	60,76	31,11	-	1547	1779
0475	16			2200	475	2264	1177				1,28	69,26	35,55	-	1765	2030
0535	18			2200	535	2541	1315				1,29	77,75	40,00	-	1988	2286
0595	20			2200	595	2807	1445				1,30	86,24	44,44	-	2211	2543
0655	22			2200	655	3065	1578				1,30	94,78	49,10	-	2430	2795
0775	26			2200	775	3546	1825				1,30	111,85	58,43	-	2871	3302
0895	30			2200	895	3984	2051				1,30	128,92	67,76	-	3316	3813
<b>11134</b>	2400			0295	XXXX	YYYY	-0000				10	2400	295	1510	801	1,24
		0355	12	2400				355	1836	970	1,25	57,02	29,09	-	1409	1620
		0415	14	2400				415	2158	1128	1,27	66,29	33,94	-	1645	1892
		0475	16	2400				475	2470	1284	1,28	75,55	38,78	-	1876	2157
		0535	18	2400				535	2772	1434	1,29	84,82	43,63	-	2111	2428
		0595	20	2400				595	3062	1576	1,30	94,08	48,48	-	2347	2699
		0775	26	2400				775	3869	1992	1,30	122,02	63,74	-	3050	3508

### Head Office

The Radiator Centre, 7 Holywell Hill, St Albans, AL1 1EU

Tel: 01727 840344

PRODUCT GROUP: STEEL

REFERENCE CODE CUSTOM MADE CARRÉ HORIZONTAL						TECHNICAL DATA						STANDARD COLOUR	OTHER COLOURS			
						tubes	width (L mm)	height (H mm)	75/65/20 (Watt) ( $\phi$ 50K)	55/45/20 (Watt) ( $\phi$ 30K)	n-exp.	weight (kg)	water content (l)	electr. resistance (Watt)	price RAL 9016 (€)	price colour (€)
REF. NR. CARRÉ HORIZONTAL CPHN2-RD : 11134																
11134	2600	0295	XXXX	YYYY	-0000	10	2600	295	1635	868	1,24	51,74	26,26	-	1239	1425
		0355				12	2600	355	1989	1050	1,25	61,78	31,51	-	1487	1710
		0415				14	2600	415	2337	1222	1,27	71,81	36,76	-	1732	1992
		0475				16	2600	475	2675	1391	1,28	81,85	42,02	-	1981	2278
		0535				18	2600	535	3003	1554	1,29	91,88	47,27	-	2230	2565
		0595				20	2600	595	3318	1708	1,30	101,92	52,52	-	2480	2852
		0655				22	2600	655	3622	1864	1,30	112,01	58,03	-	2726	3135
		0775				26	2600	775	4191	2157	1,30	132,18	69,06	-	3223	3706
11134	2800	0295	XXXX	YYYY	-0000	10	2800	295	1761	935	1,24	55,72	28,28	-	1302	1497
		0355				12	2800	355	2142	1131	1,25	66,53	33,94	-	1564	1799
		0415				14	2800	415	2517	1316	1,27	77,34	39,59	-	1825	2099
		0475				16	2800	475	2881	1498	1,28	88,14	45,25	-	2084	2397
		0535				18	2800	535	3234	1673	1,29	98,95	50,90	-	2347	2699
		0595				20	2800	595	3573	1839	1,30	109,76	56,56	-	2607	2998
		0655				22	2800	655	3900	2008	1,30	120,62	62,50	-	2870	3301
		11134				3000	0295	XXXX	YYYY	-0000	10	3000	295	1887	1002	1,24
0355	12		3000	355	2295		1212				1,25	71,28	36,36	-	1642	1888
0415	14		3000	415	2697		1410				1,27	82,86	42,42	-	1913	2200
0475	16		3000	475	3087		1605				1,28	94,44	48,48	-	2187	2515
0535	18		3000	535	3465		1793				1,29	106,02	54,54	-	2460	2829
0595	20		3000	595	3828		1970				1,30	117,60	60,60	-	2731	3141
0655	22		3000	655	4179		2151				1,30	129,24	66,96	-	3008	3459

The Radiator Centre reserves the right to alter design, specifications and prices without prior notice.

All prices shown exclude VAT. All sales are subject to our standard Terms and Conditions which can be found on [www.theradiatorcentre.com](http://www.theradiatorcentre.com) All heat outputs are shown at an operating temperatures of 75/65/20 ( $\Delta t50^\circ$ ). To recalculate to show at 90/70/20 ( $\Delta t60^\circ$ ) multiply by 1.264.

All radiators will be supplied with the necessary fixture and fittings - brackets, air vents, etc. Valves are not included in the prices quoted above