

TYPES

· Two rows (CPVN2-ZB) of tubes

TUBES

Vertical, square 25 x 25 mm

COLLECTORS


· Horizontal, round Ø 35 mm

COLOURS

Standard colour white RAL 9016

TECHNICAL

- · Welded by means of resistance welding robots (invisible weld seams)
- KTL priming coat, powder coating
- Standard operating pressure: 10 bar
- Maximum operating temperature: 120°C



CARRÉ VERTICAL (CPVN2-ZB)



CPVN2-ZB

PRODUCT GROUP: STEEL

									TEC	HNICAL D	ATA				STANDARD COLOUR	OTHER COLOURS
	ERENCE CODE CUSTOM MADE RÉ VERTICAL						width (L mm)	height (H mm)	75/65/20 (Watt) (φ50K)	55/45/20 (Watt) (φ30K)	n-exp.	weight (kg)	water content (I)	electr. resistance (Watt)	price RAL 9016 (€)	price colour (€)
REF. NR.	REF. NR. CARRÉ VERTICAL CPVN2-ZB : 11136															
11136	0295	1600	XXXX	YYYY	-0000	10	295	1600	1062	533	1,35	30,20	15,80	-	851	979
		1800				10	295	1800	1174	589	1,35	33,80	17,90	-	922	1060
		2000				10	295	2000	1279	642	1,35	37,30	20,10	-	993	1142
		2200				10	295	2200	1377	691	1,35	40,60	21,30	-	1058	1217
		2400				10	295	2400	1469	737	1,35	43,80	22,60	-	1123	1291
		2600				10	295	2600	1555	780	1,35	47,10	23,90	-	1186	1364
		2800				10	295	2800	1635	820	1,35	50,30	25,10	-	1248	1435
		3000				10	295	3000	1709	858	1,35	53,60	26,40	-	1309	1505
44400	0055	4000	10001	10004	0000	40	055	4000	4075	0.40	4.05	00.01	40.00		4000	4470
11136	0355	1600	XXXX	YYYY	-0000	12	355 355	1600	1275	640 707	1,35	36,24	18,96	-	1020	1173
		2000				12	355	2000	1534	770	1,35	40,56	21,48	-	1106	1272
		2200				12	355	2200	1652	829	1,35	48.72	25.56		1190 1268	1369 1458
		2400				12	355	2400	1763	885	1,35	52.56	27,12	-	1347	1549
		2600				12	355	2600	1866	936	1,35	56,52	28,68	-	1422	1635
		2800				12	355	2800	1962	984	1,35	60.36	30.12	-	1496	1720
		3000				12	355	3000	2050	1029	1,35	64.32	31.68	-	1569	1804
		0000					000	0000	2000	1020	1,00	0.1,02	01,00		1009	1004
11136	0415	1600	XXXX	YYYY	-0000	14	415	1600	1487	746	1.35	42.28	22.12	-	1190	1369
		1800				14	415	1800	1643	824	1,35	47.32	25.06	-	1294	1488
		2000				14	415	2000	1790	898	1,35	52,22	28,14	-	1388	1596
		2200				14	415	2200	1928	967	1,35	56,84	29,82	-	1484	1707
		2400				14	415	2400	2057	1032	1,35	61,32	31.64	-	1569	1804
		2600		i		14	415	2600	2177	1092	1,35	65,94	33,46	-	1660	1909
		2800				14	415	2800	2289	1149	1,35	70,42	35,14	-	1749	2011
		3000				14	415	3000	2392	1200	1,35	75,04	36,96	-	1831	2106
11136	0475	1600	X000X	YYYY	-0000	16	475	1600	1700	853	1,35	48,32	25,28	-	1362	1566
		1800				16	475	1800	1878	942	1,35	54,08	28,64	-	1474	1695
		2000				16	475	2000	2046	1027	1,35	59,68	32,16	-	1587	1825
		2200				16	475	2200	2203	1105	1,35	64,96	34,08	-	1691	1945
		2400				16	475	2400	2351	1180	1,35	70,08	36,16	-	1795	2064
		2600				16	475	2600	2488	1248	1,35	75,36	38,24	-	1900	2185
		2800				16	475	2800	2616	1313	1,35	80,48	40,16	-	1999	2299
		3000				16	475	3000	2734	1372	1,35	85,76	42,24	-	2095	2409
			1000													
11136	0535	1600	XXXX	YYYY	-0000	18	535	1600	1912	959	1,35	54,36	28,44	-	1531	1761
		1800				18	535	1800	2113	1060	1,35	60,84	32,22	-	1660	1909
		2000				18	535	2000	2301	1155	1,35	67,14	36,18	-	1785	2053
		2200				18	535	2200	2479	1244	1,35	73,08	38,34	-	1904	2190
		2400				18	535	2400	2644	1327	1,35	78,84	40,68	-	2024	2328
		2600				18	535	2600	2799	1404	1,35	84,78	43,02	-	2137	2458
		2800				18	535	2800	2942	1476	1,35	90,54	45,18	-	2249	2586
		3000				18	535	3000	3075	1543	1,35	96,48	47,52	-	2353	2706

PRODUCT GROUP: STEEL

								TEC	STANDARD COLOUR	OTHER COLOURS					
EFERENCE CODE CUSTOM MADE ARRÉ VERTICAL					tubes	width (L mm)	height (H mm)	75/65/20 (Watt) (φ50K)	55/45/20 (Watt) (¢30K)	п-ехр.	weight (kg)	water content (l)	electr. resistance (Watt)	price RAL 9016 (€)	price colour (€)
EF. NR. CARRÉ VER	TICAL CPVN2	2-ZB : 11	136												
11136 0595	1600 X	00X Y	YYY	-0000	20	595	1600	2125	1066	1,35	60,40	31,60	-	1700	1955
	1800				20	595	1800	2348	1178	1,35	67,60	35,80	-	1844	2121
	2000				20	595	2000	2557	1283	1,35	74,60	40,20	-	1982	2279
	2200				20	595	2200	2754	1382	1,35	81,20	42,60	-	2115	2432
	2400				20	595	2400	2938	1474	1,35	87,60	45,20	-	2247	2584
	2600				20	595	2600	3110	1561	1,35	94,20	47,80	-	2372	2728
	2800				20	595	2800	3269	1640	1,35	100,60	50,20	-	2495	2869
	3000				20	595	3000	3417	1715	1,35	107,20	52,80	-	2616	3008
1136 0655		00X Y	YYY	-0000	22	655	1600	2337	1173	1,35	66,44	34,76	-	1869	2149
	1800				22	655	1800	2582	1296	1,35	74,36	39,38	-	2027	2331
	2000				22	655	2000	2812	1411	1,35	82,06	44,22	-	2183	2510
	2200				22	655	2200	3029	1520	1,35	89,32	46,86	-	2327	2676
	2400				22	655	2400	3232	1622	1,35	96,36	49,72	-	2472	2843
	2600				22	655	2600	3421	1717	1,35	103,62	52,58	-	2610	3002
	2800				22	655	2800	3596	1804	1,35	110,66	55,22	-	2745	3157
	3000				22	655	3000	3759	1886	1,35	117,92	58,08	-	2878	3310
1136 0715 I	1600 X	00X Y	YYY	-0000	24	715	1600	2550	1280	1,35	72,48	37,92	-	2041	2347
	1800				24	715	1800	2817	1413	1,35	81.12	42.96	-	2211	2543
	2000				24	715	2000	3069	1540	1,35	89,52	48,24	-	2378	2735
1 1	2200	- 1			24	715	2200	3305	1658	1,35	97,44	51,12	-	2538	2919
	2400				24	715	2400	3526	1769	1,35	105,12	54,24	-	2696	3100
	2600				24	715	2600	3732	1873	1,35	113,04	57,36	-	2848	3275
	2800				24	715	2800	3923	1968	1,35	120,72	60,24	-	2994	3443
	3000				24	715	3000	4101	2058	1,35	128,64	63,36	-	3143	3614
1 136 0775		00X Y	YYY	-0000	26	775	1600	2762	1386	1,35	78,52	41,08	-	2211	2543
	1800				26	775	1800	3052	1531	1,35	87,88	46,54	-	2395	2754
	2000				26	775	2000	3324	1668	1,35	96,98	52,26	-	2577	2964
	2200				26	775	2200	3580	1796	1,35	105,56	55,38	-	2751	3164
	2400				26	775	2400	3820	1917	1,35	113,88	58,76	-	2919	3357
	2600				26	775	2600	4043	2029	1,35	122,46	62,14	-	3086	3549
	2800				26	775	2800	4250	2133	1,35	130,78	65,26	-	3243	3729
	3000				26	775	3000	4442	2229	1,35	139,36	68,64	-	3402	3912
1136 0895	1600 X	oox Ty	YYY	-0000	30	895	1600	3187	1599	1,35	90.60	47.40	\vdash	2550	2933
130 0093	1800	VIA T		0000									_	2550 2765	2933 3180
	2000				30	895 895	1800	3521	1767	1,35	101,40	53,70 60,30	-		
					30	895	2200	4131	2073	1,35	121,80	63,90	-	2970	3416
					-30	090	2200	4101	2013	1,30	121,00	UU,UU		3176	3652
	2400				30	895	2400	4407	2211	1,35	131.40	67.80		3365	3870

CARRÉ PLUS VERTICAL (CPVN-PLUS)



CPVN-PLUS

PRODUCT GROUP: STEEL

									TEC	HNICAL D	ATA				STANDA	ARD COLOUR	OTHE	R COLOURS
	CE CODE LUS VERTI	CUSTOM	MADE			tubes	width (L mm)	height (H mm)	75/65/20 (Watt) (φ50K)	55/45/20 (Watt) (¢30K)	п-ехр.	weight (kg)	water content (I)	electr. resistance (Watt)	price RAL 9016 (€)	short ref. nr. RAL 9016 stock	price colour (€)	short ref. nr. M301 stock
REF. NR. (CARRÉ PL	US VERTI	CAL CPVN	-PLUS : 1	1210													
11210	0295	1400	XXXX	YYYY	-0000	10	295	1400	871	443	1,31	19,70	8,40	-	485		558	-
		1600				10	295	1600	986	505	1,31	21,60	9,40	-	531	-	611	-
		1800				10	295	1800	1097	559	1,32	23,60	10,50	-	573	-	659	11210 -02
		2000				10	295	2000	1206	614	1,32	26,20	12,00	-	619	-	712	-
		2200				10	295	2200	1312	672	1,31	28,90	13,50	-	664	-	764	-
11210	0355	1400	XXXX	YYYY	-0000	12	355	1400	1026	521	1,31	23.16	10,08	_				
11210	0355	1600	****	*****	-0000	12	355	1600	1161	595	1,31	25,16	11.28	-	584 637	-	672 733	-
		1800				12	355	1800	1293	659	1,32	27,72	12,48	-	691	11210 -16	795	
		2000				12	355	2000	1421	724	1.32	30.96	14.40	-	743	-	854	
		2200				12	355	2200	1545	791	1,31	34,08	16,20	-	791	-	910	
												. ,	-39					
11210	0415	1400	XXXX	YYYY	-0000	14	415	1400	1179	599	1,31	26,46	11,76	-	677	-	779	-
		1600	i	İ		14	415	1600	1334	683	1,31	29,12	13,16	-	743	-	854	-
		1800				14	415	1800	1485	757	1,32	31,64	14,56	-	807	-	928	11210-04
		2000				14	415	2000	1632	836	1,31	35,42	16,66	-	865	11210 -05	995	-
		2200				14	415	2200	1775	909	1,31	39,20	18,90	-	927	-	1066	-
11210	0475	1400	XXXX	YYYY	-0000	16	475	1400	1330	676	1,31	29,60	13,28	-	775	-	891	-
		1600				16	475	1600	1505	771	1,31	32,48	14,88	-	851	-	979	-
		1800				16	475 475	1800	1675	853 943	1,32	35,52 39,84	16,48	-	922	-	1060	-
		2200				16	475	2200	2002	1025	1,31	44.00	21,60		993 1058	-	1142	
		2200				10	4/0	2200	2002	1020	1,01	44,00	21,00	-	1006		1217	
11210	0535	1400	XXXX	YYYY	-0000	18	535	1400	1478	751	1,31	32.58	14.94	-	870		1001	
		1600				18	535	1600	1673	857	1,31	35,82	16,74	-	958	-	1102	-
		1800		İ		18	535	1800	1862	954	1,31	39,06	18,54	-	1037	11210 -07	1193	-
		2000				18	535	2000	2046	1048	1,31	43,92	21,42	-	1117	11210 -09	1285	-
		2200		l		18	535	2200	2226	1140	1,31	48,78	24,30	-	1190	-	1369	-
11210	0595	1400	XXXX	YYYY	-0000	20	595	1400	1625	826	1,31	35,20	16,60	-	969	-	1114	-
		1600				20	595	1600	1839	942	1,31	39,00	18,60	-	1063	-	1222	-
		1800				20	595	1800	2047	1048	1,31	42,60	20,40	-	1152	11210-11	1325	-
		2000				20	595	2000	2250	1152	1,31	48,00	23,60	-	1239	11210 -12	1425	-
		2200				20	595	2200	2447	1260	1,30	53,40	27,00	-	1323	-	1521	-
11210	0655	1400	XXXX	YYYY	-0000	22	655	1400	1771	900	1,31	37,84	18,26	-	1068	-	1228	-
		1600				22	655	1600	2004	1026	1.31	41.80	20.24		1169		1344	
		1800				22	655	1800	2231	1143	1,31	45,76	22,44	-	1267	-	1457	-
		2000				22	655	2000	2451	1255	1,31	51,70	25,96	-	1365	-	1570	-
		2200				22	655	2200	2666	1372	1,30	57,64	29,48	-	1455	-	1673	-
11210	0715	1400	XXXX	YYYY	-0000	24	715	1400	1915	973	1,31	40,32	19,68	-	1165	-	1340	-
		1600				24	715	1600	2167	1110	1,31	44,64	22,08	-	1277	-	1469	-
		1800				24	715	1800	2412	1235	1,31	48,96	24,24	-	1381	-	1588	-
		2000				24	715	2000	2651	1365	1,30	55,44	28,32	-	1488	-	1711	-
		2200				24	715	2200	2883	1484	1,30	61,92	32,16	-	1587	-	1825	-

PRODUCT GROUP: STEEL

REFERENCE CODE CLISTOM MADE									TEC		STANDA	ARD COLOUR	OTHER COLOURS					
REFEREN CARRÉ PL			MADE			tubes	width (L mm)	height (H mm)	75/65/20 (Watt) (φ50K)	55/45/20 (Watt) (φ30K)	n-exp.	weight (kg)	water content (f)	electr. resistance (Watt)	price RAL 9016 (€)	short ref. nr. RAL 9016 stock	price colour (£)	short ref. nr. M301 stock
REF. NR. (REF. NR. CARRÉ PLUS VERTICAL CPVN-PLUS : 11210																	
11210	0775	1400	XXXX	YYYY	-0000	26	775	1400	2058	1046	1,31	42,64	21,32	-	1263	-	1452	-
		1600				26	775	1600	2329	1193	1,31	47,32	23,92	-	1381	-	1588	-
		1800				26	775	1800	2592	1334	1,30	51,74	26,26	-	1497	-	1722	-
		2000				26	775	2000	2849	1467	1,30	58,76	30,68	-	1612	-	1854	-
		2200				26	775	2200	3098	1595	1,30	65,78	34,84	-	1719	-	1977	-
11210	0895	1400	XXXX	YYYY	-0000	30	895	1400	2341	1189	1,31	46,80	24,60	-	1455	-	1673	-
		1600				30	895	1600	2649	1357	1,31	51,90	27,30	-	1594	-	1833	-
		1800				30	895	1800	2949	1518	1,30	57,00	30,00	-	1727	-	1986	-
		2000				30	895	2000	3240	1668	1,30	65,10	35,10	-	1857	-	2136	-
		2200				30	895	2200	3524	1814	1,30	73,20	40,20	-	1983	-	2280	-

The Radiator Centre reserves the right to alter design, specifications and prices without prior notice.

All prices shown exclude VAT. All sales are subject to our standard Terms and Conditions which can be found on www.theradiatocentre.com All heat outputs are shown at an operating temperatures of 75/65/20 (Δ t50°). To recalculate to show at 90/70/20 (Δ t60°) multiply by 1.264.

All radiators will be supplied with the necessary fixture and fittings - brackets, air vents, etc.

Valves are not included in the prices quoted above