

Description

This modern and efficient aluminium radiator is available from stock in four heights and multiple widths. Besides a standard RAL9010 white, there are also 25 standard RAL Colours (please note: colour finishes may require up to 15 days to deliver). Recently introduced, there is also the option of 32 special finishes. The versatility of the Chic with its great outputs means there is a radiator to meet almost any situation.

The Chic model is supplied with matching end panels that create a flush, smooth appearance to the radiator and accentuate the clean lines.

Product Specifications

Material	Aluminium
Standard Colours	White RAL 9010
Bespoke Colours	25 RAL Colours and 32 Special Finishes
Delivery	Stock models: 3—5 working days
Guarantee	10 Years
Outputs	625—2272 watts @ Δt 50°C

Pipe Centre Information

Pipe Centres left to right	Width of radiator + valves
Pipe Centres to wall	67—71 mm



Head Office

The Radiator Centre, 7 Holywell Hill, St Albans, AL1 1EU

Tel: 01727 840344

Product Code	Height (mm)	Width (mm)	Depth / Projection (mm)	Output : Watts @ T50 degrees	Output : BTU @ T50 degrees
CHIC44/04	440	340	95 /116	376	1283
CHIC44/05	440	420	95 /116	470	1604
CHIC44/06	440	500	95 /116	564	1924
CHIC44/07	440	580	95 /116	658	2245
CHIC44/08	440	660	95 /116	752	2566
CHIC44/09	440	740	95 /116	846	2887
CHIC44/10	440	820	95 /116	940	3207
CHIC44/11	440	900	95 /116	1034	3528
CHIC44/12	440	980	95 /116	1128	3849
CHIC44/13	440	1060	95 /116	1222	4169
CHIC44/14	440	1140	95 /116	1316	4490
CHIC44/15	440	1220	95 /116	1410	4811
CHIC44/16	440	1300	95 /116	1504	5132
CHIC44/17	440	1380	95 /116	1598	5452
CHIC44/18	440	1460	95 /116	1692	5773
CHIC44/19	440	1540	95 /116	1786	6094
CHIC44/20	440	1620	95 /116	1880	6415

The Radiator Centre reserves the right to alter design, specifications and prices without prior notice. All prices shown exclude VAT. All sales are subject to our standard Terms and Conditions which can be found on www.theradiatorcentre.com

All heat outputs are shown at an operating temperatures of 75/65/20 ($\Delta t50^\circ$). To recalculate to show at 90/70/20 ($\Delta t60^\circ$) multiply by 1.264.

All radiators will be supplied with the necessary fixture and fittings - brackets, air vents, etc. Valves are not included in the prices quoted above.

Head Office

The Radiator Centre, 7 Holywell Hill, St Albans, AL1 1EU

Tel: 01727 840344

Product Code	Height (mm)	Width (mm)	Depth / Projection (mm)	Output : Watts @ T50 degrees	Output : BTU @ T50 degrees
CHIC59/04	590	340	95 /116	492	1679
CHIC59/05	590	420	95 /116	615	2098
CHIC59/06	590	500	95 /116	738	2518
CHIC59/07	590	580	95 /116	861	2938
CHIC59/08	590	660	95 /116	984	3357
CHIC59/09	590	740	95 /116	1107	3777
CHIC59/10	590	820	95 /116	1230	4197
CHIC59/11	590	900	95 /116	1353	4616
CHIC59/12	590	980	95 /116	1476	5036
CHIC59/13	590	1060	95 /116	1599	5456
CHIC59/14	590	1140	95 /116	1722	5875
CHIC59/15	590	1220	95 /116	1845	6295
CHIC59/16	590	1300	95 /116	1968	6715
CHIC59/17	590	1380	95 /116	2091	7134
CHIC59/18	590	1460	95 /116	2214	7554
CHIC59/19	590	1540	95 /116	2337	7974
CHIC59/20	590	1620	95 /116	2460	8394

The Radiator Centre reserves the right to alter design, specifications and prices without prior notice. All prices shown exclude VAT. All sales are subject to our standard Terms and Conditions which can be found on www.theradiatorcentre.com

All heat outputs are shown at an operating temperatures of 75/65/20 ($\Delta t50^\circ$). To recalculate to show at 90/70/20 ($\Delta t60^\circ$) multiply by 1.264.

All radiators will be supplied with the necessary fixture and fittings - brackets, air vents, etc. Valves are not included in the prices quoted above.

Head Office

The Radiator Centre, 7 Holywell Hill, St Albans, AL1 1EU

Tel: 01727 840344

Product Code	Height (mm)	Width (mm)	Depth / Projection (mm)	Output : Watts @ T50 degrees	Output : BTU @ T50 degrees
CHIC69/04	690	340	95 /116	568	1938
CHIC69/05	690	420	95 /116	710	2422
CHIC69/06	690	500	95 /116	852	2907
CHIC69/07	690	580	95 /116	994	3391
CHIC69/08	690	660	95 /116	1136	3876
CHIC69/09	690	740	95 /116	1278	4361
CHIC69/10	690	820	95 /116	1420	4845
CHIC69/11	690	900	95 /116	1562	5330
CHIC69/12	690	980	95 /116	1704	5814
CHIC69/13	690	1060	95 /116	1846	6299
CHIC69/14	690	1140	95 /116	1988	6783
CHIC69/15	690	1220	95 /116	2130	7268
CHIC69/16	690	1300	95 /116	2272	7752
CHIC69/17	690	1380	95 /116	2414	8237
CHIC69/18	690	1460	95 /116	2556	8721
CHIC69/19	690	1540	95 /116	2698	9206
CHIC69/20	690	1620	95 /116	2840	9690

The Radiator Centre reserves the right to alter design, specifications and prices without prior notice. All prices shown exclude VAT. All sales are subject to our standard Terms and Conditions which can be found on www.theradiatorcentre.com

All heat outputs are shown at an operating temperatures of 75/65/20 ($\Delta t50^\circ$). To recalculate to show at 90/70/20 ($\Delta t60^\circ$) multiply by 1.264.

All radiators will be supplied with the necessary fixture and fittings - brackets, air vents, etc. Valves are not included in the prices quoted above.

Head Office

The Radiator Centre, 7 Holywell Hill, St Albans, AL1 1EU

Tel: 01727 840344

Product Code	Height (mm)	Width (mm)	Depth / Projection (mm)	Output : Watts @ T50 degrees	Output : BTU @ T50 degrees
CHIC79/04	790	340	95 /116	644	2197
CHIC79/05	790	420	95 /116	805	2747
CHIC79/06	790	500	95 /116	966	3296
CHIC79/07	790	580	95 /116	1127	3845
CHIC79/08	790	660	95 /116	1288	4395
CHIC79/09	790	740	95 /116	1449	4944
CHIC79/10	790	820	95 /116	1610	5493
CHIC79/11	790	900	95 /116	1771	6043
CHIC79/12	790	980	95 /116	1932	6592
CHIC79/13	790	1060	95 /116	2093	7141
CHIC79/14	790	1140	95 /116	2254	7691
CHIC79/15	790	1220	95 /116	2415	8240
CHIC79/16	790	1300	95 /116	2576	8789
CHIC79/17	790	1380	95 /116	2737	9339
CHIC79/18	790	1460	95 /116	2898	9888
CHIC79/19	790	1540	95 /116	3059	10437
CHIC79/20	790	1620	95 /116	3220	10987

The Radiator Centre reserves the right to alter design, specifications and prices without prior notice. All prices shown exclude VAT. All sales are subject to our standard Terms and Conditions which can be found on www.theradiatorcentre.com

All heat outputs are shown at an operating temperatures of 75/65/20 (Δt_{50}°). To recalculate to show at 90/70/20 (Δt_{60}°) multiply by 1.264.

All radiators will be supplied with the necessary fixture and fittings - brackets, air vents, etc. Valves are not included in the prices quoted above.

Head Office

The Radiator Centre, 7 Holywell Hill, St Albans, AL1 1EU

Tel: 01727 840344