

Description


The Innovate stainless steel radiator is a unique model available in both Brushed and Polished finishes from The Radiator Centre Ltd.

With its strong defining lines and luxury stainless steel finish, this exclusive designer radiator makes the ultimate contemporary design statement.

Manufactured in Europe for the best quality, these central heating products are top of their class for design and output.

Product Specifications

Material	Stainless Steel
Standard Colours	Polished / Brushed
Delivery	Stocked Items, 7 working days
Guarantee	10 Years
Outputs	748—3098 watts @ Δt 50°C
Connections	1/2" BSP



Head Office

The Radiator Centre, 7 Holywell Hill, St Albans, AL1 1EU

Tel: 01727 840344

Product Code	Height (mm)	Width (mm)	Depth / Projection (mm)	Output : Watts @ T50 degrees	Output : BTU @ T50 degrees
Innovate616	600	425	70/110	748	2555
Innovate620	600	525	70/110	932	3183
Innovate624	600	625	70/110	1116	3812
Innovate636	600	925	70/110	1668	5697
Innovate642	600	1075	70/110	1944	6640
Innovate648	600	1225	70/110	2220	7583
Innovate654	600	1375	70/110	2496	8525
Innovate1010	1000	275	70/110	790	2698
Innovate1016	1000	425	70/110	1252	4276
Innovate1020	1000	525	70/110	1560	5328
Innovate1024	1000	625	70/110	1868	6380
Innovate1030	1000	775	70/110	2330	7958
Innovate1508	1500	225	70/110	948	3238
Innovate1510	1500	275	70/110	1178	4024

The Radiator Centre reserves the right to alter design, specifications and prices without prior notice. All prices shown exclude VAT. All sales are subject to our standard Terms and Conditions which can be found on www.theradiatorcentre.com

All heat outputs are shown at an operating temperatures of 75/65/20 ($\Delta t50^\circ$). To recalculate to show at 90/70/20 ($\Delta t60^\circ$) multiply by 1.264.

All radiators will be supplied with the necessary fixture and fittings - brackets, air vents, etc. Valves are not included in the prices quoted above.

Head Office

The Radiator Centre, 7 Holywell Hill, St Albans, AL1 1EU

Tel: 01727 840344

Product Code	Height (mm)	Width (mm)	Depth / Projection (mm)	Output : Watts @ T50 degrees	Output : BTU @ T50 degrees
Innovate1512	1500	325	70/110	1408	4809
Innovate1516	1500	425	70/110	1868	6380
Innovate1520	1500	525	70/110	2328	7952
Innovate1808	1800	225	70/110	1122	3832
Innovate1810	1800	275	70/110	1394	4761
Innovate1812	1800	325	70/110	1666	5690
Innovate1816	1800	425	70/110	2210	7548
Innovate1820	1800	525	70/110	2754	9407
Innovate2008	2000	225	70/110	1262	4310
Innovate2010	2000	275	70/110	1568	5356
Innovate2012	2000	325	70/110	1874	6401
Innovate2016	2000	425	70/110	2486	8491
Innovate2020	2000	525	70/110	3098	10582

The Radiator Centre reserves the right to alter design, specifications and prices without prior notice. All prices shown exclude VAT. All sales are subject to our standard Terms and Conditions which can be found on www.theradiatocentre.com

All heat outputs are shown at an operating temperatures of 75/65/20 ($\Delta t50^\circ$). To recalculate to show at 90/70/20 ($\Delta t60^\circ$) multiply by 1.264.

All radiators will be supplied with the necessary fixture and fittings - brackets, air vents, etc. Valves are not included in the prices quoted above.

Head Office

The Radiator Centre, 7 Holywell Hill, St Albans, AL1 1EU

Tel: 01727 840344