


Strikingly Discreet

- For spaces with large windows, glazed facades, for window displays, conservatories, under window seats and for dwarf walls.
- Discreet appearance with heights from 8 cm.
- No wasteful heat loss from radiation through glazing.
- Stable one-piece casing.
- Suitable for integrated valve.
- Low-H20 technology with super conductive and ultra-fast heat exchanger for low energy consumption and maximum heat emission.
- Twin Power for better compensation of the downward cold air flow next to glazed facades or ventilation grilles,
- Safe surface temperature.

MINI FREESTANDING

DIMENSIONS (In mm)





COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:

- traffic white RAL 9016 (133), soft touch lightly structured satin lacquer
- sandblast grey (001), fine texture metallic lacquer

Other colours: see colour chart.

CONNECTION

Standard connection: Height 008: opposite end connection, flow left or right Other heights: same end connection, left or right

It is not possible to connect to the wall from inside the casing, as the casing includes a closed rear panel.

FIXING SET FOR SHELF



Number of sets for casing length: - from 600 to 1600 mm; min, 2 sets

from 600 to 1600 mm; min. 2 sets
 from 1800 to 3000 mm; min. 3 sets

Shelf not supplied.

FIXED FEET OUTPUT TABLES

MINF.HHH LLL TT.XXX/XX

	HEIGHT 80			HEIGHT 130			HEIGHT 230			HEIGHT 280		
L	Туре	Watts	Watts	Туре	Watts	Watts	Туре	Watts	Watts	Туре	Watts	Watts
mm		75/65	55/45		75/65	55/45		75/65	55/45		75/65	55/45
600	N/A	N/A	N/A	05	197	96	06	323	157	06	342	167
	09	255	124	10	303	147	11	601	288	11	653	313
	14	416	202	15	508	246	16	785	374	16	860	409
	19	572	277	20	717	348	21	1021	484	21	1127	533
700	N/A	N/A	N/A	05	230	112	06	377	183	06	399	195
	09	298	144	10	354	171	11	701	336	11	762	365
	14	486	236	15	593	288	16	916	436	16	1003	477
	19	667	323	20	837	406	21	1191	564	21	1315	622
800	N/A	N/A	N/A	05	263	128	06	431	210	06	456	223
	09	340	165	10	404	196	11	802	384	11	871	417
	14	555	269	15	678	329	16	1046	498	16	1146	545
	19	762	369	20	956	464	21	1361	645	21	1503	710
900	N/A	N/A	N/A	05	296	144	06	485	236	06	513	251
	09	383	186	10	455	220	11	902 1177	432	11	980 1290	469
	14 19	625 858	303 416	15 20	762 1076	370 522	16 21	1531	560 725	16 21	1691	613 799
1000	N/A	N/A	N/A	05	329	160	06	539	262	06	570	278
1000	09	425	206	10	505	245	11	1002	480	11	1089	522
	14	694	336	15	847	411	16	1308	623	16	1433	681
	19	953	462	20	1195	580	21	1701	806	21	1879	888
1100	N/A	N/A	N/A	05	362	176	06	593	288	06	627	306
	09	468	227	10	556	269	11	1102	528	11	1198	574
	14	763	370	15	932	452	16	1439	685	16	1576	749
	19	1048	508	20	1315	638	21	1871	886	21	2067	977
1200	N/A	N/A	N/A	05	395	192	06	647	315	06	684	334
	09	510	247	10	606	294	11	1202	576	11	1307	626
	14	833	404	15	1016	493	16	1570	747	16	1720	818
	19	1144	554	20	1434	696	21	2041	967	21	2255	1066
1400	N/A	N/A	N/A	05	461	224	06	755	367	06	798	390
	09	595	288	10	707	342	11	1403	672	11	1525	730
	14	972	471	15	1186	575	16	1831	872	16	2006	954
	19	1334	647	20	1673	812	21	2381	1128	21	2631	1244
1600	N/A	N/A	N/A	05	526	256	06	862	419	06	912	445
	09	680	330	10	808	391	11	1603	768	11	1742	834
	14	1110	538	15	1355	657	16	2093	996	16	2293	1090
	19	1525	739	20	1912	928	21	2722	1289	21	3006	1421
1800	N/A	N/A	N/A	05	592	288	06	970	472	06	1026	501
	09	765	371	10	909	440	11	1804	864	11	1960	939
	14	1249	605	15	1525	740	16	2354	1121	16	2579	1226
2000	19	1715	831	20	2151	1044	21	3062	1450	21	3382	1599
2000	N/A 09	N/A	N/A	05 10	658	320 489	06 11	1078	524 960	06	1140 2178	557 1043
	14	850 1388	412 673	15	1010 1694	822	16	2004 2616	1245	11 16	2866	1363
	19	1906	924	20	2390	1159	21	3402	1611	21	3758	1776
2200	N/A	N/A	N/A	05	724	352	06	1186	577	06	1254	612
2200	09	935	453	10	1111	538	11	2204	1056	11	2396	1148
	14	1527	740	15	1863	904	16	2878	1370	16	3153	1499
	19	2097	1016	20	2629	1275	21	3742	1772	21	4134	1954
2400	N/A	N/A	N/A	05	790	384	06	1294	629	06	1368	668
	09	1020	494	10	1212	587	11	2405	1152	11	2614	1252
	14	1666	807	15	2033	986	16	3139	1494	16	3439	1635
	19	2287	1108	20	2868	1391	21	4082	1933	21	4510	2132
2600	N/A	N/A	N/A	05	855	415	06	1401	681	06	1482	724
	09	1105	536	10	1313	636	11	2605	1248	11	2831	1356
	14	1804	874	15	2202	1068	16	3401	1619	16	3726	1772
									2095			

ADJUSTABLE FEET OUTPUT TABLES

MINF.HHH LLL TT.XXX/XX

	HEIGHT	HEIGHT 80			HEIGHT 130			HEIGHT 230			HEIGHT 280		
L	Туре	Watts	Watts	Туре	Watts	Watts	Туре	Watts	Watts	Туре	Watts	Watts	
mm		75/65	55/45		75/65	55/45		75/65	55/45		75/65	55/45	
600	N/A	N/A	N/A	05	197	96	06	323	157	06	342	167	
	09	255	124	10	303	147	11	601	288	11	653	313	
	14	416	202	15	508	246	16	785	374	16	860	409	
	19	572	277	20	717	348	21	1021	484	21	1127	533	
700	N/A	N/A	N/A	05	230	112	06	377	183	06	399	195	
	09	298	144	10	354	171	11	701	336	11	762	365	
	14	486	236	15	593	288	16	916	436	16	1003	477	
	19	667	323	20	837	406	21	1191	564	21	1315	622	
800	N/A	N/A	N/A	05	263	128	06	431	210	06	456	223	
	09	340	165	10	404	196	11	802	384	11	871	417	
	14	555	269	15	678	329	16	1046	498	16	1146	545	
	19	762	369	20	956	464	21	1361	645	21	1503	710	
900	N/A	N/A	N/A	05	296	144	06	485	236	06	513	251	
	09	383	186	10	455	220	11	902	432	11	980	469	
	14	625	303	15	762	370	16	1177	560	16	1290	613	
	19	858	416	20	1076	522	21	1531	725	21	1691	799	
1000	N/A	N/A	N/A	05	329	160	06	539	262	06	570	278	
	09	425	206	10	505	245	11	1002	480	11	1089	522	
	14	694	336	15	847	411	16	1308	623	16	1433	681	
	19	953	462	20	1195	580	21	1701	806	21	1879	888	
1100	N/A	N/A	N/A	05	362	176	06	593	288	06	627	306	
	09	468	227	10	556	269	11	1102	528	11	1198	574	
	14	763	370	15	932	452	16	1439	685	16	1576	749	
4200	19	1048	508	20	1315	638	21	1871	886	21	2067	977	
1200	N/A 09	N/A 510	N/A	05	395	192 294	06	647	315	06	684	334	
	14	833	247 404	10 15	606 1016	493	11 16	1202 1570	576 747	11 16	1307 1720	626 818	
	19	1144	554	20	1434	696	21	2041	967	21	2255	1066	
1400	N/A	N/A	N/A	05	461	224	06	755	367	06	798	390	
	09	595	288	10	707	342	11	1403	672	11	1525	730	
	14	972	471	15	1186	575	16	1831	872	16	2006	954	
	19	1334	647	20	1673	812	21	2381	1128	21	2631	1244	
1600	N/A	N/A	N/A	05	526	256	06	862	419	06	912	445	
	09	680	330	10	808	391	11	1603	768	11	1742	834	
	14	1110	538	15	1355	657	16	2093	996	16	2293	1090	
	19	1525	739	20	1912	928	21	2722	1289	21	3006	1421	
1800	N/A	N/A	N/A	05	592	288	06	970	472	06	1026	501	
	09	765	371	10	909	440	11	1804	864	11	1960	939	
	14	1249	605	15	1525	740	16	2354	1121	16	2579	1226	
	19	1715	831	20	2151	1044	21	3062	1450	21	3382	1599	
2000	N/A	N/A	N/A	05	658	320	06	1078	524	06	1140	557	
	09	850	412	10	1010	489	11	2004	960	11	2178	1043	
	14	1388	673	15	1694	822	16	2616	1245	16	2866	1363	
	19	1906	924	20	2390	1159	21	3402	1611	21	3758	1776	
2200	N/A	N/A	N/A	05	724	352	06	1186	577	06	1254	612	
	09	935	453	10	1111	538	11	2204	1056	11	2396	1148	
	14	1527	740	15	1863	904	16	2878	1370	16	3153	1499	
2400	19 N/A	2097 N/A	1016 N/A	20	2629	1275	21	3742	1772	21	4134	1954	
2400	N/A	N/A 1020	N/A	05 10	790	384	06	1294	629	06 11	1368	668 1252	
	09 14	1666	494 807	10 15	1212 2033	587 986	11 16	2405 3139	1152 1494	11 16	2614 3439	1635	
	19	2287	1108	20	2868	1391	21	4082	1933	21	4510	2132	
2600	N/A	N/A	N/A	05	855	415	06	1401	681	06	1482	724	
2000	09	1105	536	10	1313	636	11	2605	1248	11	2831	1356	
	14	1804	874	15	2202	1068	16	3401	1619	16	3726	1772	
	19	2478	1201	20	3107	1507	21	4423	2095	21	4885	2309	
		2770	12.01		3207	1501		1.63	2077		.007	2333	

The Radiator Centre reserves the right to alter design, specifications and prices without prior notice.

All prices shown exclude VAT. All sales are subject to our standard Terms and Conditions which can be found on www.theradiatocentre.com All heat outputs are shown at an operating temperatures of 75/65/20 (Δ t50°). To recalculate to show at 90/70/20 (Δ t60°) multiply by 1.264.

All radiators will be supplied with the necessary fixture and fittings - brackets, air vents, etc.

Valves are not included in the prices quoted above