



### TYPES

- T21S, T22

### COLOURS


- Standard colour S600 (fine texture white)
- Not available in other colours

### BRACKETS

- The radiator is standard delivered with a full assembly set: consoles (J), designer plugs, designer air vents

### TECHNICAL

- Electrically welded by means of resistance welding robots (invisible weld seams)
- KTL priming coat, powder coating
- Standard operating pressure: 10 bar
- Maximum operating temperature: 120°C



### Head Office

The Radiator Centre, 7 Holywell Hill, St Albans, AL1 1EU

Tel: 01727 840344

### FLAT-V-LINE (T21S, T22)



T21S

T22

PRODUCT GROUP: PANEL

REFERENCE CODE CUSTOM MADE FLAT-V-LINE							TECHNICAL DATA							STANDARD COLOUR		
							tubes	width (L mm)	height (H mm)	75/65/20 (Watt) (ø50K)	55/45/20 (Watt) (ø30K)	n-exp.	weight (kg)	water content (l)	electr. resistance (Watt)	price S600 (€)
<b>REF. NR. FLAT-V-LINE T21S : 11298</b>																
<b>11298</b>	0400	1600	8008	0600	-0000	-	400	1600	1047	531	1,33	35,35	6,38	-	<b>842</b>	<b>11298-07</b>
		1800				-	400	1800	1120	562	1,35	39,34	7,15	-	<b>881</b>	<b>11298-01</b>
		2000				-	400	2000	1198	598	1,36	43,34	7,93	-	<b>911</b>	<b>11298-02</b>
		2200				-	400	2200	1283	609	1,46	46,84	8,70	-	<b>992</b>	-
<b>11298</b>	0500	1600	8008	0600	-0000	-	500	1600	1309	664	1,33	44,19	7,98	-	<b>927</b>	-
		1800				-	500	1800	1400	703	1,35	49,18	8,94	-	<b>967</b>	<b>11298-03</b>
		2000				-	500	2000	1498	748	1,36	54,18	9,91	-	<b>1036</b>	<b>11298-04</b>
		2200				-	500	2200	1604	761	1,46	58,55	10,88	-	<b>1109</b>	-
<b>11298</b>	0600	1600	8008	0600	-0000	-	600	1600	1571	796	1,33	53,03	9,58	-	<b>1027</b>	-
		1800				-	600	1800	1680	843	1,35	59,02	10,73	-	<b>1076</b>	<b>11298-05</b>
		2000				-	600	2000	1798	898	1,36	65,02	11,89	-	<b>1159</b>	<b>11298-06</b>
		2200				-	600	2200	1925	913	1,46	70,26	13,06	-	<b>1230</b>	-
<b>11298</b>	0700	1600	8008	0600	-0000	-	700	1600	1833	929	1,33	61,87	11,17	-	<b>1122</b>	-
		1800				-	700	1800	1960	984	1,35	68,85	12,52	-	<b>1195</b>	-
		2000				-	700	2000	2097	1047	1,36	75,85	13,87	-	<b>1275</b>	-
		2200				-	700	2200	2246	1065	1,46	81,97	15,23	-	<b>1378</b>	-
<b>11298</b>	0800	1600	8008	0600	-0000	-	800	1600	2094	1062	1,33	70,70	12,77	-	<b>1268</b>	-
		1800				-	800	1800	2240	1124	1,35	78,69	14,30	-	<b>1348</b>	-
		2000				-	800	2000	2397	1197	1,36	86,69	15,86	-	<b>1462</b>	-
		2200				-	800	2200	2566	1218	1,46	93,68	17,41	-	<b>1524</b>	-
<b>REF. NR. FLAT-V-LINE T22 : 11299</b>																
<b>11299</b>	0400	1600	8008	0600	-0000	-	400	1600	1281	626	1,40	39,86	6,38	-	<b>939</b>	-
		1800				-	400	1800	1394	668	1,44	43,79	7,15	-	<b>1033</b>	<b>11299-01</b>
		2000				-	400	2000	1509	708	1,48	47,72	7,93	-	<b>1111</b>	<b>11299-02</b>
		2200				-	400	2200	1626	816	1,35	52,08	8,70	-	<b>1195</b>	-
<b>11299</b>	0500	1600	8008	0600	-0000	-	500	1600	1601	783	1,40	49,83	7,98	-	<b>1021</b>	-
		1800				-	500	1800	1743	836	1,44	54,74	8,94	-	<b>1120</b>	<b>11299-03</b>
		2000				-	500	2000	1886	886	1,48	59,65	9,91	-	<b>1231</b>	<b>11299-04</b>
		2200				-	500	2200	2032	1020	1,35	65,10	10,88	-	<b>1322</b>	-
<b>11299</b>	0600	1600	8008	0600	-0000	-	600	1600	1921	940	1,40	59,80	9,58	-	<b>1129</b>	-
		1800				-	600	1800	2092	1003	1,44	65,69	10,73	-	<b>1236</b>	<b>11299-05</b>
		2000				-	600	2000	2263	1063	1,48	71,58	11,89	-	<b>1349</b>	<b>11299-06</b>
		2200				-	600	2200	2438	1223	1,35	78,12	13,06	-	<b>1439</b>	-
<b>11299</b>	0700	1600	8008	0600	-0000	-	700	1600	2241	1096	1,40	69,76	11,17	-	<b>1239</b>	-
		1800				-	700	1800	2440	1170	1,44	76,64	12,52	-	<b>1354</b>	<b>11299-07</b>
		2000				-	700	2000	2640	1240	1,48	83,51	13,87	-	<b>1476</b>	<b>11299-08</b>
		2200				-	700	2200	2845	1427	1,35	91,14	15,23	-	<b>1557</b>	-
<b>11299</b>	0800	1600	8008	0600	-0000	-	800	1600	2562	1253	1,40	79,73	12,77	-	<b>1354</b>	-
		1800				-	800	1800	2789	1337	1,44	87,58	14,30	-	<b>1492</b>	-
		2000				-	800	2000	3018	1417	1,48	95,44	15,86	-	<b>1620</b>	<b>11299-09</b>
		2200				-	800	2200	3251	1631	1,35	104,16	17,41	-	<b>1696</b>	<b>11299-10</b>

**Head Office**

The Radiator Centre, 7 Holywell Hill, St Albans, AL1 1EU

Tel: 01727 840344

The Radiator Centre reserves the right to alter design, specifications and prices without prior notice.

All prices shown exclude VAT. All sales are subject to our standard Terms and Conditions which can be found on [www.theradiatocentre.com](http://www.theradiatocentre.com) All heat outputs are shown at an operating temperatures of 75/65/20 ( $\Delta t50^\circ$ ).  
To recalculate to show at 90/70/20 ( $\Delta t60^\circ$ ) multiply by 1.264.

All radiators will be supplied with the necessary fixture and fittings - brackets, air vents, etc.  
Valves are not included in the prices quoted above

**Head Office**

The Radiator Centre, 7 Holywell Hill, St Albans, AL1 1EU

Tel: 01727 840344