The Radiator Centre

ZANA VERTICAL – DATASHEET



TYPES

One (ZV-1) or two rows (ZV-2)

TUBES Vertical, rectangular 45 x 20 mm

COLLECTORS


Horizontal, rear, round Ø 35 mm

COLOURS

Standard colour white RAL 9016

TECHNICAL

- · Electrically laser welded (invisible weld seams)
- KTL priming coat, powder coating
- Standard operating pressure: 4 bar
- Maximum operating temperature: 120°C



ZANA VERTICAL (ZV-1)



ZV-1

PRODUCT GROUP: STEEL

						TECHNICAL DATA										D COLOUR	OTHER COLOURS
REFERENCE CODE CUSTOM MADE ZANA VERTICAL							width (L mm)	height (H mm)	75/65/20 (Watt) (ф50K)	55/45/20 (Watt) (g30K)	n-exp.	weight (kg)	water content (I)	electr. resistance (Watt)	price RAL 9016 (€)	short ref. nr. RAL 9016 stock	price colour (€)
REF. NR. 2	ZANA VER	TICAL ZV-	1 : 11254														
11254	0304	1400	XXXXX	YYYY	-0000	8	304	1400	680	359	1,27	18,16	8,24	-	456	•	524
		1600				8	304	1600	769	406	1,27	20,72	9,44	-	495	-	569
		1800				8	304	1800	859	454	1,28	23,20	10,64	-	535	•	615
		2000				8	304	2000	950	502	1,28	25,68	11,68	-	572	-	658
		2200				8	304	2200	1042	550	1,28	28,08	12,72	-	611	•	703
		2400				8	304	2400	1136	600	1,29	30,56	13,76	-	656	•	754
		2600 2800				8	304 304	2600	1231	650 701	1,29	33,04	14,80	-	694	•	798
		3000				8		2800	1327		1,29	35,44	15,84	-	732	•	842
		3000				8	304	3000	1426	753	1,29	37,92	16,88	-	773	-	889
11254	0384	1400	XXXXX	YYYY	-0000	10	384	1400	850	449	1,27	22,70	10,30	-	544	-	626
		1600				10	384	1600	962	508	1,27	25,90	11,80	-	597	•	687
		1800				10	384	1800	1074	567	1,28	29,00	13,30	-	644	11254-03	741
		2000				10	384	2000	1188	627	1,28	32,10	14,60	-	696	•	800
		2200				10	384	2200	1303	688	1,28	35,10	15,90	-	745	•	857
		2400				10	384	2400	1420	750	1,29	38,20	17,20	-	792	•	911
		2600 2800				10	384 384	2600	1539	813 876	1,29	41,30	18,50	-	847	· ·	974
		3000				10	384	3000	1782	941	1,29	44,30	21,10	-	894 942	•	1028
		3000				10	004	3000	1702	041	1,20	47,40	21,10	-	942	-	1003
11254	0464	1400	XXXXX	YYYY	-0000	12	464	1400	1020	539	1,27	27,24	12,36	-	637		733
	0.01	1600			0000	12	464	1600	1154	609	1,27	31,08	14,16	-	697	-	802
		1800				12	464	1800	1289	681	1,28	34,80	15,96	-	757	11254-12	871
		2000				12	464	2000	1425	752	1,28	38,52	17,52	-	818	11254-01	941
		2200				12	464	2200	1563	825	1,28	42,12	19,08	-	879	-	1011
		2400		1		12	464	2400	1704	900	1,29	45,84	20,64	-	933	-	1073
		2600				12	464	2600	1846	975	1,29	49,56	22,20	-	996	-	1145
		2800				12	464	2800	1991	1051	1,29	53,16	23,76	-	1054	-	1212
		3000				12	464	3000	2139	1130	1,29	56,88	25,32	-	1117	-	1285
			10001														
11254	0544	1400	XXXXX	2000	-0000	14	544	1400	1190	628	1,27	31,78	14,42	-	730	•	840
		1600 1800				14	544 544	1600	1346	711 794	1,27	36,26	16,52	-	799	-	919
		2000				14	544	2000	1663	878	1,28	40,60	18,62	-	865 935	11254-07 11254-08	995 1075
		2000				14	544	2000	1824	963	1,20	49,14	20,44	-	935	11254-08	1075
		2400				14	544	2400	1988	1050	1,20	53,48	24.08	-	1076		1237
		2600				14	544	2600	2154	1137	1,29	57,82	25,90	-	1147	•	1319
		2800				14	544	2800	2323	1227	1,29	62,02	27,72	-	1216		1398
		3000				14	544	3000	2495	1318	1,29	66,36	29,54	-	1286	-	1479
11254	0624	1400	~~~~	~~~~	-0000	16	624	1400	1360	718	1.27	36.32	16.49		000		045
1204	0624	1400 1600	XXXXX	****	-0000								16,48	-	822	•	945
		1800				16 16	624 624	1600	1539	813 908	1,27	41,44	21,28	-	901	- 11254-09	1036
		2000				16	624	2000	1900	1003	1,28	51,36	23,36	-	1059	11254-09 11254-02	112/
		2200				16	624	2200	2085	1101	1,28	_	25,44	-	1139	-	1310
		2400				16	624	2400	2000	1200	1,29	61,12		-	1219	-	1402
		2600				16	624	2600	2462	1300	1,29	66,08	29,60	-	1298		1493
		2800				16	624	2800	2655	1402	1,29	70,88	31,68	-	1376	-	1582
		3000				16	624	3000	2852	1506	1,29	75,84	-				

The Radiator Centre

ZANA VERTICAL – DATASHEET

									TEC	HNICAL D	ATA				STANDAR	PRODUCT G	OTHER
REFERENCE CODE CUSTOM MADE																	COLOUR
NA VEF	TICAL					tubes	width (Lmm)	height (H mm)	75/65/20 (Watt)	55/45/20 (Watt)	n-exp.	(kg)	water content	electr. resistance	price RAL 9016	short ref. nr. RAL 9016	colour
							(c. may	((050K)	(\$30K)		140	0	(Watt)	(€)	stock	(E)
E NR 2	ANA VER	TICAL 7V-	1:11254														
1254	0704	1400	XXXXX	YYYY	-0000	18	704	1400	1531	808	1,27	40.86	18,54	-	915		1052
		1600				18	704	1600	1731	914	1,27	46,62	21,24	-	1000	-	1150
		1800				18	704	1800	1933	1021	1,28	52,20	23,94	-	1089	-	1252
		2000				18	704	2000	2138	1129	1,28	57,78	26,28	-	1180	-	1357
		2200				18	704	2200	2345	1238	1,28	63,18	28,62	-	1269	-	1459
		2400				18	704	2400	2555	1349	1,29	68,76	30,96	-	1361	-	1565
		2600				18	704	2600	2769	1462	1,29	74,34	33,30	-	1447	-	1664
		2800				18	704	2800	2987	1577	1,29	79,74	35,64	-	1537	-	1768
		3000				18	704	3000	3208	1694	1,29	85,32	37,98	-	1626	-	1870
254	0784	1400	X000X	YYYY	-0000	20	784	1400	1701	898	1,27	45,40	20,60	-	1002	-	1152
		1600				20	784	1600	1923	1015	1,27	51,80	23,60	-	1104	-	1270
		1800				20	784	1800	2148	1134	1,28	58,00	26,60	-	1202	-	1382
		2000				20	784	2000	2375	1254	1,28	64,20	29,20	-	1300	-	1495
		2200				20	784	2200	2606	1376	1,28	70,20	31,80	-	1400	-	1610
		2400				20	784	2400	2839	1499	1,29	76,40	34,40	-	1500	-	1725
		2600				20	784	2600	3077	1625	1,29	82,60	37,00	-	1599	-	1839
		3000				20	784	3000	3319 3564	1753	1,29	88,60 94,80	39,60	-	1697	-	1952
		3000				20	/04	3000	3304	1002	1,28	84,00	42,20	-	1796	-	2065
254	0864	1400	XXXXX	YYYY	-0000	22	864	1400	1871	988	1,27	49.94	22.66	-	1094	-	1258
	0004	1600	10000		0000	22	864	1600	2116	1117	1,27	56,98	25,96		1204	-	1385
		1800				22	864	1800	2363	1248	1,28	63,80	29,26		1313	-	1510
		2000				22	864	2000	2613	1380	1,28	70.62	32,12	-	1422	-	1635
		2200				22	864	2200	2866	1513	1,28	77,22	34,98	-	1531	-	1761
		2400				22	864	2400	3123	1649	1,29	84,04	37,84	-	1644	-	1891
		2600				22	864	2600	3385	1788	1,29	90,86	40,70	-	1752	-	2015
		2800				22	864	2800	3650	1927	1,29	97,46	43,56	-	1861	-	2140
		3000				22	864	3000	3921	2071	1,29	104,28	46,42	-	1968	-	2263
254	0944	1400	X000X	YYYYY	-0000	24	944	1400	2041	1078	1,27	54,48	24,72	-	1186	-	1364
		1600				24	944	1600	2308	1219	1,27	62,16	28,32	-	1304	-	1500
		1800				24	944	1800	2578	1361	1,28	69,60	31,92	-	1425	-	1639
		2000				24	944	2000	2850	1505	1,28	77,04	35,04	-	1543	-	1774
		2200				24	944	2200	3127	1651	1,28	84,24	38,16	-	1662	-	1911
		2400				24	944	2400	3407	1799	1,29	91,68	41,28	-	1783	-	2050
		2600				24	944	2600	3692	1950	1,29	99,12	44,40	-	1902	-	2187
		2800				24	944	2800	3982	2103	1,29	106,32	47,52	-	2019	-	2322
		3000				24	944	3000	4277	2259	1,29	113,76	50,64	-	2142	-	2463
254	1024	1400	XXXXX	YYYY	-0000	26	1024	1400	2211	1168	1,27	59,02	26,78	-	1279		1471
		1600				26	1024	1600	2500	1320	1,27		30,68	-	1405	-	1616
		1800				26	1024	1800	2793	1475	1,28	75,40		-	1534	-	1764
		2000				26	1024	2000	3088	1631	1,28		37,96	-	1665	-	1915
		2200				26	1024	2200	3388	1789	1,28		41,34	-	1793	-	2062
		2400				26	1024	2400	3691	1949	1,29		44,72	-	1925	-	2214
		2600				26	1024	2600	4000	2112	1,29	107,38	48,10	-	2052	-	2360
		2800				26	1024	2800	4314	2278	1,29	115,18	51,48	-	2184	-	2512
		3000				26	1024	3000	4634	2447	1,29	123,24	54,86	-	2310	-	2657

ZANA VERTICAL (ZV-2)



ZV-2

PRODUCT GROUP: STEEL

						TECHNICAL DATA										D COLOUR	OTHER COLOURS
REFEREN ZANA VEF		CUSTOM	MADE			tubes	width (L.mm)	height (H mm)	75/65/20 (Watt) (φ50K)	55/45/20 (Watt) (φ30K)	n-exp.	weight (kg)	water content (I)	electr. resistance (Watt)	price RAL 9016 (€)	short ref. nr. RAL 9016 stock	price colour (€)
REF. NR. 2	ZANA VER	TICAL ZV-	2 : 11255														
11255	0304	1400	XXXXX	YYYY	-0000	8	304	1400	1105	584	1,30	35,20	16,16	-	774	•	890
		1600				8	304	1600	1242	656	1,30	40,16	18,40	-	839	•	965
		1800				8	304	1800	1379	728	1,30	45,12	20,64	-	908	•	1044
		2000				8	304	2000	1515	800	1,30	50,00	23,28	-	978	•	1125
		2200				8	304	2200	1651	872	1,30	54,80	25,92	-	1043	•	1199
		2400				8	304	2400	1788	944	1,30	59,68	28,56	-	1110	•	1277
		2600				8	304	2600	1925	1017	1,30	64,48	31,12	-	1180	•	1357
		2800				8	304	2800	2062	1089	1,30	69,36	33,76	-	1244	•	1431
		3000				0	304	3000	2200	1162	1,30	74,16	36,40	-	1313	-	1510
11255	0384	1400	XXXXX	YYYY	-0000	10	384	1400	1381	729	1,30	44,00	20,20	-	929	-	1068
		1600				10	384	1600	1553	820	1,30	50,20	23,00	-	1014	-	1166
		1800				10	384	1800	1724	910	1,30	56,40	25,80	-	1096	-	1260
		2000				10	384	2000	1894	1000	1,30	62,50	29,10	-	1183	-	1360
		2200				10	384	2200	2064	1090	1,30	68,50	32,40	-	1267	•	1457
		2400				10	384	2400	2235	1180	1,30	74,60	35,70	-	1350	•	1553
		2600				10	384 384	2600	2406	1271	1,30	80,60	38,90	-	1437	-	1653
		3000				10	384	3000	2750	1361 1452	1,30	86,70 92,70	42,20	•	1520	•	1748
		3000				10	004	3000	2700	1402	1,00	52,70	40,00	-	1002		1042
11255	0464	1400	XXXXX	YYYY	-0000	12	464	1400	1657	875	1.30	52,80	24,24	-	1083		1245
		1600				12	464	1600	1863	984	1,30	60,24	27,60	-	1185		1363
		1800				12	464	1800	2068	1092	1,30	67,68	30,96	-	1288		1481
		2000				12	464	2000	2273	1200	1,30	75,00	34,92	-	1388	•	1596
		2200				12	464	2200	2477	1308	1,30	82,20	38,88	-	1490	•	1714
		2400				12	464	2400	2682	1416	1,30	89,52	42,84	-	1591	•	1830
		2600				12	464	2600	2887	1525	1,30	96,72	46,68	-	1691	•	1945
		2800				12	464	2800	3093	1633	1,30	104,04	50,64	-	1793	•	2062
		3000				12	464	3000	3300	1743	1,30	111,24	54,60	-	1895	•	2179
11255	0544	1400	X000X	YYYY	-0000	14	544	1400	1933	1021	1,30	61,60	28,28	-	1240		1426
		1600				14	544	1600	2174	1148	1,30	70,28	32,20	-	1361	-	1565
		1800				14	544	1800	2413	1274	1,30	78,96	36,12	-	1474	-	1695
		2000				14	544	2000	2651	1400	1,30	87,50	40,74	-	1594	11255-02	1833
		2200				14	544	2200	2890	1526	1,30	95,90	45,36	-	1714	-	1971
		2400				14	544	2400	3129	1652	1,30	104,44	49,98		1831	-	2106
		2600				14	544	2600	3368	1779	1,30	112,84	54,46	-	1948	-	2240
		2800				14	544	2800	3608	1905	1,30	121,38	59,08	-	2068	-	2378
		3000				14	544	3000	3849	2033	1,30	129,78	63,70	-	2186		2514
11255	0624	1400	XXXXX	YYYY	-0000	16	624	1400	2209	1167	1,30	70,40	32,32	-	1395		1604
		1600				16	624	1600	2484	1312	1,30	80,32		-	1529	-	1758
		1800				16	624	1800	2758	1456	1,30	90,24		-	1662	-	1911
		2000				16	624	2000	3030	1600	1,30	100,00		-	1801	-	2071
		2200				16	624	2200	3303	1744	1,30	109,60	51,84	-	1936	-	2226
		2400				16	624	2400	3576	1888	1,30	119,36	57,12	-	2071	-	2382
		2600				16	624	2600	3849	2033	1,30	128,96	62,24	-	2208	-	2539
		2800				16	624	2800	4124	2178	1,30	138,72		-	2339	•	2690
		3000				16	624	3000	4399	2323	1,30	148,32	72,80	-	2476	-	2847

The Radiator Centre

ZANA VERTICAL – DATASHEET

						TECHNICAL DATA										STANDARD COLOUR		
REFERENCE CODE CUSTOM MADE ZANA VERTICAL							width (L mm)	height (H mm)	75/65/20 (Watt) (φ50K)	55/45/20 (Watt) (¢30K)	n-exp.	weight (kg)	water content (1)	electr. resistance (Watt)	price RAL 9016 (€)	short ref. nr. RAL 9016 stock	COLOURS price colour (€)	
EF. NR. 2	ZANA VER	TICAL ZV-	2:11255															
11255	0704	1400	X000X	YYYY	-0000	18	704	1400	2486	1313	1,30	79,20	36,36	-	1550	-	1783	
		1600				18	704	1600	2795	1476	1,30	90,36	41,40	-	1700	-	1955	
		1800				18	704	1800	3102	1638	1,30	101,52	46,44	-	1854	-	2132	
		2000				18	704	2000	3409	1800	1,30	112,50	52,38	-	2007	11255-01	2308	
		2200				18	704	2200	3716	1962	1,30	123,30	58,32	-	2158	-	2482	
		2400				18	704	2400	4023	2124	1,30	134,28	64,26	-	2309	-	2655	
		2600				18	704	2600	4330	2287	1,30	145,08	70,02	-	2462	-	2831	
		2800				18	704	2800	4639	2450	1,30	156,06	75,96	-	2614	-	3006	
1255	0784	1400	X000X	1111	-0000	20	784	1400	2762	1459	1,30	88,00	40,40	-	1707	-	1963	
		1600				20	784	1600	3105	1640	1,30	100,40	46,00	-	1875	-	2156	
		1800				20	784	1800	3447	1820	1,30	112,80	51,60	-	2042	-	2348	
		2000				20	784	2000	3788	2000	1,30	125,00	58,20	-	2212	-	2544	
		2200				20	784	2200	4129	2180	1,30	137,00	64,80	-	2380	-	2737	
		2400				20	784	2400	4470	2360	1,30	149,20	71,40	-	2551	· ·	2934	
		2000				20	/04	2000	4012	2041	1,30	161,20	77,80	-	2718	-	3126	
1255	0864	1400	XXXXX	YYYY	-0000	22	864	1400	3038	1604	1.30	96.80	44,44		1862	<u> </u>	2141	
1200	0004	1600	~~~		-0000	22	864	1600	3416	1804	1,30	110.44			2046	•	2353	
		1800				22	864	1800	3792	2002	1,30	124.08	56,76		2040	-	2566	
		2000				22	864	2000	4167	2200	1,30	137.50	64.02	-	2419		2782	
		2200				22	864	2200	4541	2398	1,30	150,70		-	2605		2996	
		2200			_		004	2200		2000	1,00	100,10	11,20		2000			
1255	0944	1400	X000X	YYYY	-0000	24	944	1400	3314	1750	1,30	105,60	48,48	-	2015	-	2317	
		1600				24	944	1600	3726	1968	1,30	120,48	55,20	-	2220	-	2553	
		1800				24	944	1800	4136	2184	1,30	135,36	61,92	-	2422		2785	
		2000				24	944	2000	4545	2400	1,30	150,00	69,84	-	2624	-	3018	
1255	1024	1400	XXXXX	YYYY	-0000	26	1024	1400	3590	1896	1,30	114,40	52,52	-	2174	-	2500	
		1600				26	1024	1600	4037	2132	1,30	130,52	59,80	-	2392	-	2751	
		1800				26	1024	1800	4481	2366	1,30	146,64	67,08	-	2610	-	3002	

The Radiator Centre reserves the right to alter design, specifications and prices without prior notice.

All prices shown exclude VAT. All sales are subject to our standard Terms and Conditions which can be found on www.theradiatocentre.com All heat outputs are shown at an operating temperatures of 75/65/20 (Δt50°). To recalculate to show at 90/70/20 (Δt60°) multiply by 1.264.

All radiators will be supplied with the necessary fixture and fittings - brackets, air vents, etc. Valves are not included in the prices quoted above