

## CARRÉ PLUS VERTICAL (CPVN-PLUS)



### TYPES

- Vertical: Carré Plus (CPVN-PLUS)

### TUBES

- Vertical, square 25 x 25 mm

### COLLECTORS

- Horizontal, round Ø 35 mm

### COLOURS

- Standard colour white RAL 9016
- Extensive colour chart

### BRACKETS

- Wall brackets standard

### TECHNICAL

- Welded by means of resistance welding robots (invisible weld seams)
- KTL priming coat, powder coating
- Standard operating pressure: 10 bar
- Maximum operating temperature: 110°C

### ELECTRICAL

- ✗ Pure electrical radiator prefilled
- ✗ Mixed radiator

### TECHNICAL DRAWINGS

- 

### CONNECTION


- ✓ One-point connection for one-pipe system (order as special radiator) **(on demand)** (see p. 315)
- ✓ One-point connection for two-pipe system (order as special radiator) **(on demand)** (see p. 315)
- ✓ Two-point connection for one-pipe system (connection by way of the central connection) (see p. 314)
- ✓ Two-point connection for two-pipe system (standard) (see p. 314)
- ✗ Integrated valve
- Connections: ½" (inner thread)

### CARRÉ PLUS VERTICAL


#### Minimum clearance, maximum effect

An icon in the world of designer radiators. Vasco developed a whole new type of tube especially for the Carré with sharp corners for an austere design and with optimum thermal efficiency with a minimum clearance. The flat look creates a sense of calm, enhanced by the concealed, beautifully integrated collector. A highly praised designer radiator for which Vasco, as always, also developed the appropriate accessories.

### RECOMMENDED CONNECTION (1188)



### Other connection methods, see p. 171



ref. nr. 1182 103 0000 0099

### RECOMMENDED FOR BATHROOM AND KITCHEN IN OPTION



towel rail straight (chrome)  
ref. nr. see p. 170



## HOW TO ORDER CARRÉ PLUS VERTICAL

Delivery time 15 - 30 working days  
(transport duration not included)

|       |      |      |      |      |       |                              |
|-------|------|------|------|------|-------|------------------------------|
| 11210 | 0295 | 1400 | XXXX | YYYY | -0000 |                              |
|       |      |      |      |      |       | version (4 digits)           |
|       |      |      |      |      |       | ref. nr. (5 digits)          |
|       |      |      |      |      |       | width (4 digits)             |
|       |      |      |      |      |       | height (4 digits)            |
|       |      |      |      |      |       | connection (4 digits) p. 171 |
|       |      |      |      |      |       | colour (4 digits) p. 10      |

## HOW TO ORDER STOCK RADIATOR CARRÉ PLUS VERTICAL

Delivery time 5 working days  
(transport duration not included)

|       |     |                     |
|-------|-----|---------------------|
| 11210 | -00 |                     |
|       |     | ref. nr. (5 digits) |
|       |     | see table below     |

## CARRÉ PLUS VERTICAL (CPVN-PLUS)



CPVN-PLUS

| REFERENCE CODE CUSTOM MADE<br>CARRÉ PLUS VERTICAL |      |      |      |      |       | TECHNICAL DATA |                 |                  |                              |                              |        |                |                         |                                 |
|---------------------------------------------------|------|------|------|------|-------|----------------|-----------------|------------------|------------------------------|------------------------------|--------|----------------|-------------------------|---------------------------------|
|                                                   |      |      |      |      |       | tubes          | width<br>(L mm) | height<br>(H mm) | 75/65/20<br>(Watt)<br>(φ50K) | 55/45/20<br>(Watt)<br>(φ30K) | n-exp. | weight<br>(kg) | water<br>content<br>(l) | electr.<br>resistance<br>(Watt) |
| REF. NR. CARRÉ PLUS VERTICAL CPVN-PLUS : 11210    |      |      |      |      |       |                |                 |                  |                              |                              |        |                |                         |                                 |
| 11210                                             | 0295 | 1400 | XXXX | YYYY | -0000 | 10             | 295             | 1400             | 871                          | 443                          | 1,31   | 19,70          | 8,40                    | -                               |
|                                                   |      | 10   |      |      |       | 295            | 1600            | 986              | 505                          | 1,31                         | 21,60  | 9,40           | -                       |                                 |
|                                                   |      | 10   |      |      |       | 295            | 1800            | 1097             | 559                          | 1,32                         | 23,60  | 10,50          | -                       |                                 |
|                                                   |      | 10   |      |      |       | 295            | 2000            | 1206             | 614                          | 1,32                         | 26,20  | 12,00          | -                       |                                 |
|                                                   |      | 10   |      |      |       | 295            | 2200            | 1312             | 672                          | 1,31                         | 28,90  | 13,50          | -                       |                                 |
|                                                   |      |      |      |      |       |                |                 |                  |                              |                              |        |                |                         |                                 |
| 11210                                             | 0355 | 1400 | XXXX | YYYY | -0000 | 12             | 355             | 1400             | 1026                         | 521                          | 1,31   | 23,16          | 10,08                   | -                               |
|                                                   |      | 12   |      |      |       | 355            | 1600            | 1161             | 595                          | 1,31                         | 25,44  | 11,28          | -                       |                                 |
|                                                   |      | 12   |      |      |       | 355            | 1800            | 1293             | 659                          | 1,32                         | 27,72  | 12,48          | -                       |                                 |
|                                                   |      | 12   |      |      |       | 355            | 2000            | 1421             | 724                          | 1,32                         | 30,96  | 14,40          | -                       |                                 |
|                                                   |      | 12   |      |      |       | 355            | 2200            | 1545             | 791                          | 1,31                         | 34,08  | 16,20          | -                       |                                 |
|                                                   |      |      |      |      |       |                |                 |                  |                              |                              |        |                |                         |                                 |
| 11210                                             | 0415 | 1400 | XXXX | YYYY | -0000 | 14             | 415             | 1400             | 1179                         | 599                          | 1,31   | 26,46          | 11,76                   | -                               |
|                                                   |      | 14   |      |      |       | 415            | 1600            | 1334             | 683                          | 1,31                         | 29,12  | 13,16          | -                       |                                 |
|                                                   |      | 14   |      |      |       | 415            | 1800            | 1485             | 757                          | 1,32                         | 31,64  | 14,56          | -                       |                                 |
|                                                   |      | 14   |      |      |       | 415            | 2000            | 1632             | 836                          | 1,31                         | 35,42  | 16,66          | -                       |                                 |
|                                                   |      | 14   |      |      |       | 415            | 2200            | 1775             | 909                          | 1,31                         | 39,20  | 18,90          | -                       |                                 |
|                                                   |      |      |      |      |       |                |                 |                  |                              |                              |        |                |                         |                                 |
| 11210                                             | 0475 | 1400 | XXXX | YYYY | -0000 | 16             | 475             | 1400             | 1330                         | 676                          | 1,31   | 29,60          | 13,28                   | -                               |
|                                                   |      | 16   |      |      |       | 475            | 1600            | 1505             | 771                          | 1,31                         | 32,48  | 14,88          | -                       |                                 |
|                                                   |      | 16   |      |      |       | 475            | 1800            | 1675             | 853                          | 1,32                         | 35,52  | 16,48          | -                       |                                 |
|                                                   |      | 16   |      |      |       | 475            | 2000            | 1841             | 943                          | 1,31                         | 39,84  | 19,04          | -                       |                                 |
|                                                   |      | 16   |      |      |       | 475            | 2200            | 2002             | 1025                         | 1,31                         | 44,00  | 21,60          | -                       |                                 |
|                                                   |      |      |      |      |       |                |                 |                  |                              |                              |        |                |                         |                                 |
| 11210                                             | 0535 | 1400 | XXXX | YYYY | -0000 | 18             | 535             | 1400             | 1478                         | 751                          | 1,31   | 32,58          | 14,94                   | -                               |
|                                                   |      | 18   |      |      |       | 535            | 1600            | 1673             | 857                          | 1,31                         | 35,82  | 16,74          | -                       |                                 |
|                                                   |      | 18   |      |      |       | 535            | 1800            | 1862             | 954                          | 1,31                         | 39,06  | 18,54          | -                       |                                 |
|                                                   |      | 18   |      |      |       | 535            | 2000            | 2046             | 1048                         | 1,31                         | 43,92  | 21,42          | -                       |                                 |
|                                                   |      | 18   |      |      |       | 535            | 2200            | 2226             | 1140                         | 1,31                         | 48,78  | 24,30          | -                       |                                 |
|                                                   |      |      |      |      |       |                |                 |                  |                              |                              |        |                |                         |                                 |
| 11210                                             | 0595 | 1400 | XXXX | YYYY | -0000 | 20             | 595             | 1400             | 1625                         | 826                          | 1,31   | 35,20          | 16,60                   | -                               |
|                                                   |      | 20   |      |      |       | 595            | 1600            | 1839             | 942                          | 1,31                         | 39,00  | 18,60          | -                       |                                 |
|                                                   |      | 20   |      |      |       | 595            | 1800            | 2047             | 1048                         | 1,31                         | 42,60  | 20,40          | -                       |                                 |
|                                                   |      | 20   |      |      |       | 595            | 2000            | 2250             | 1152                         | 1,31                         | 48,00  | 23,60          | -                       |                                 |
|                                                   |      | 20   |      |      |       | 595            | 2200            | 2447             | 1260                         | 1,30                         | 53,40  | 27,00          | -                       |                                 |
|                                                   |      |      |      |      |       |                |                 |                  |                              |                              |        |                |                         |                                 |
| 11210                                             | 0655 | 1400 | XXXX | YYYY | -0000 | 22             | 655             | 1400             | 1771                         | 900                          | 1,31   | 37,84          | 18,26                   | -                               |
|                                                   |      | 22   |      |      |       | 655            | 1600            | 2004             | 1026                         | 1,31                         | 41,80  | 20,24          | -                       |                                 |
|                                                   |      | 22   |      |      |       | 655            | 1800            | 2231             | 1143                         | 1,31                         | 45,76  | 22,44          | -                       |                                 |
|                                                   |      | 22   |      |      |       | 655            | 2000            | 2451             | 1255                         | 1,31                         | 51,70  | 25,96          | -                       |                                 |
|                                                   |      | 22   |      |      |       | 655            | 2200            | 2666             | 1372                         | 1,30                         | 57,64  | 29,48          | -                       |                                 |
|                                                   |      |      |      |      |       |                |                 |                  |                              |                              |        |                |                         |                                 |
| 11210                                             | 0715 | 1400 | XXXX | YYYY | -0000 | 24             | 715             | 1400             | 1915                         | 973                          | 1,31   | 40,32          | 19,68                   | -                               |
|                                                   |      | 24   |      |      |       | 715            | 1600            | 2167             | 1110                         | 1,31                         | 44,64  | 22,08          | -                       |                                 |
|                                                   |      | 24   |      |      |       | 715            | 1800            | 2412             | 1235                         | 1,31                         | 48,96  | 24,24          | -                       |                                 |
|                                                   |      | 24   |      |      |       | 715            | 2000            | 2651             | 1365                         | 1,30                         | 55,44  | 28,32          | -                       |                                 |
|                                                   |      | 24   |      |      |       | 715            | 2200            | 2883             | 1484                         | 1,30                         | 61,92  | 32,16          | -                       |                                 |

In conformity with EN442-1: 2014; radiators and convectors


## CARRÉ PLUS VERTICAL (CPVN-PLUS)



CPVN-PLUS

### HOW TO ORDER CARRÉ PLUS VERTICAL

Delivery time 15 - 30 working days  
(transport duration not included)



| REFERENCE CODE CUSTOM MADE<br>CARRÉ PLUS VERTICAL |      |      |      |      |       | TECHNICAL DATA |                 |                  |                              |                              |        |                |                         |                                 |  |
|---------------------------------------------------|------|------|------|------|-------|----------------|-----------------|------------------|------------------------------|------------------------------|--------|----------------|-------------------------|---------------------------------|--|
|                                                   |      |      |      |      |       | tubes          | width<br>(L mm) | height<br>(H mm) | 75/65/20<br>(Watt)<br>(ø50K) | 55/45/20<br>(Watt)<br>(ø30K) | n-exp. | weight<br>(kg) | water<br>content<br>(l) | electr.<br>resistance<br>(Watt) |  |
| REF. NR. CARRÉ PLUS VERTICAL CPVN-PLUS : 11210    |      |      |      |      |       |                |                 |                  |                              |                              |        |                |                         |                                 |  |
| 11210                                             | 0775 | 1400 | XXXX | YYYY | -0000 | 26             | 775             | 1400             | 2058                         | 1046                         | 1,31   | 42,64          | 21,32                   | -                               |  |
|                                                   |      | 26   |      |      |       | 775            | 1600            | 2329             | 1193                         | 1,31                         | 47,32  | 23,92          | -                       |                                 |  |
|                                                   |      | 26   |      |      |       | 775            | 1800            | 2592             | 1334                         | 1,30                         | 51,74  | 26,26          | -                       |                                 |  |
|                                                   |      | 26   |      |      |       | 775            | 2000            | 2849             | 1467                         | 1,30                         | 58,76  | 30,68          | -                       |                                 |  |
|                                                   |      | 26   |      |      |       | 775            | 2200            | 3098             | 1595                         | 1,30                         | 65,78  | 34,84          | -                       |                                 |  |
| 11210                                             | 0895 | 1400 | XXXX | YYYY | -0000 | 30             | 895             | 1400             | 2341                         | 1189                         | 1,31   | 46,80          | 24,60                   | -                               |  |
|                                                   |      | 30   |      |      |       | 895            | 1600            | 2649             | 1357                         | 1,31                         | 51,90  | 27,30          | -                       |                                 |  |
|                                                   |      | 30   |      |      |       | 895            | 1800            | 2949             | 1518                         | 1,30                         | 57,00  | 30,00          | -                       |                                 |  |
|                                                   |      | 30   |      |      |       | 895            | 2000            | 3240             | 1668                         | 1,30                         | 65,10  | 35,10          | -                       |                                 |  |
|                                                   |      | 30   |      |      |       | 895            | 2200            | 3524             | 1814                         | 1,30                         | 73,20  | 40,20          | -                       |                                 |  |

In conformity with EN442-1: 2014: radiators and convectors

#### TYPES

- Two rows (CPVN2-ZB) of tubes

#### TUBES

- Vertical, square 25 x 25 mm

#### COLLECTORS

- Horizontal, round Ø 35 mm

#### COLOURS

- Standard colour white RAL 9016
- Extensive colour chart

#### BRACKETS

- Wall brackets in the colour RAL 9016 standard. Also in option available in the colour RAL 7016

#### TECHNICAL

- Welded by means of resistance welding robots (invisible weld seams)
- KTL priming coat, powder coating
- Standard operating pressure: 10 bar
- Maximum operating temperature: 110°C

#### ELECTRICAL

- ✗ Pure electrical radiator prefilled
- ✗ Mixed radiator



#### TECHNICAL DRAWINGS

•

#### CONNECTION

- ✓ One-point connection for one-pipe system (order as special radiator) **(on demand)** (see p. 315)
- ✓ One-point connection for two-pipe system (order as special radiator) **(on demand)** (see p. 315)
- ✓ Two-point connection for one-pipe system (connection by way of the central connection) (see p. 314)
- ✓ Two-point connection for two-pipe system (standard) (see p. 314)
- ✗ Integrated valve
- Connections: ½" (inner thread)

#### RECOMMENDED CONNECTION (0066)



ref. nr. 1182 103 0000 0099

#### RECOMMENDED FOR BATHROOM AND KITCHEN IN OPTION



towel rail straight (chrome)  
ref. nr. see p. 170



**VASCO**

#### CARRÉ VERTICAL

##### Top design with double heat capacity

The sleek, smooth look of the Carré Plus, which has a double row of pipes for maximum heat output. The Carré Vertical designer radiator continues to be its timeless, functional self, but the extra capacity ensures optimum efficiency, even in larger spaces.




# CARRÉ VERTICAL (CPVN2-ZB)



CPVN2-ZB

## HOW TO ORDER CARRÉ VERTICAL

Delivery time 15 - 30 working days  
(transport duration not included)




| REFERENCE CODE CUSTOM MADE<br>CARRÉ VERTICAL |      |      |      |      |       | TECHNICAL DATA |                 |                  |                              |                              |        |                |                         |                                 |
|----------------------------------------------|------|------|------|------|-------|----------------|-----------------|------------------|------------------------------|------------------------------|--------|----------------|-------------------------|---------------------------------|
|                                              |      |      |      |      |       | tubes          | width<br>(L mm) | height<br>(H mm) | 75/65/20<br>(Watt)<br>(ø50K) | 55/45/20<br>(Watt)<br>(ø30K) | n-exp. | weight<br>(kg) | water<br>content<br>(l) | electr.<br>resistance<br>(Watt) |
| REF. NR. CARRÉ VERTICAL CPVN2-ZB : 11136     |      |      |      |      |       |                |                 |                  |                              |                              |        |                |                         |                                 |
| 11136                                        | 0295 | 1600 | XXXX | YYYY | -0000 | 10             | 295             | 1600             | 1062                         | 533                          | 1,35   | 30,20          | 15,80                   | -                               |
|                                              |      | 10   |      |      |       | 295            | 1800            | 1174             | 589                          | 1,35                         | 33,80  | 17,90          | -                       |                                 |
|                                              |      | 10   |      |      |       | 295            | 2000            | 1279             | 642                          | 1,35                         | 37,30  | 20,10          | -                       |                                 |
|                                              |      | 10   |      |      |       | 295            | 2200            | 1377             | 691                          | 1,35                         | 40,60  | 21,30          | -                       |                                 |
|                                              |      | 10   |      |      |       | 295            | 2400            | 1469             | 737                          | 1,35                         | 43,80  | 22,60          | -                       |                                 |
|                                              |      | 10   |      |      |       | 295            | 2600            | 1555             | 780                          | 1,35                         | 47,10  | 23,90          | -                       |                                 |
|                                              |      | 10   |      |      |       | 295            | 2800            | 1635             | 820                          | 1,35                         | 50,30  | 25,10          | -                       |                                 |
|                                              |      | 10   |      |      |       | 295            | 3000            | 1709             | 858                          | 1,35                         | 53,60  | 26,40          | -                       |                                 |
|                                              |      |      |      |      |       |                |                 |                  |                              |                              |        |                |                         |                                 |
| 11136                                        | 0355 | 1600 | XXXX | YYYY | -0000 | 12             | 355             | 1600             | 1275                         | 640                          | 1,35   | 36,24          | 18,96                   | -                               |
|                                              |      | 12   |      |      |       | 355            | 1800            | 1409             | 707                          | 1,35                         | 40,56  | 21,48          | -                       |                                 |
|                                              |      | 12   |      |      |       | 355            | 2000            | 1534             | 770                          | 1,35                         | 44,76  | 24,12          | -                       |                                 |
|                                              |      | 12   |      |      |       | 355            | 2200            | 1652             | 829                          | 1,35                         | 48,72  | 25,56          | -                       |                                 |
|                                              |      | 12   |      |      |       | 355            | 2400            | 1763             | 885                          | 1,35                         | 52,56  | 27,12          | -                       |                                 |
|                                              |      | 12   |      |      |       | 355            | 2600            | 1866             | 936                          | 1,35                         | 56,52  | 28,68          | -                       |                                 |
|                                              |      | 12   |      |      |       | 355            | 2800            | 1962             | 984                          | 1,35                         | 60,36  | 30,12          | -                       |                                 |
|                                              |      | 12   |      |      |       | 355            | 3000            | 2050             | 1029                         | 1,35                         | 64,32  | 31,68          | -                       |                                 |
|                                              |      |      |      |      |       |                |                 |                  |                              |                              |        |                |                         |                                 |
| 11136                                        | 0415 | 1600 | XXXX | YYYY | -0000 | 14             | 415             | 1600             | 1487                         | 746                          | 1,35   | 42,28          | 22,12                   | -                               |
|                                              |      | 14   |      |      |       | 415            | 1800            | 1643             | 824                          | 1,35                         | 47,32  | 25,06          | -                       |                                 |
|                                              |      | 14   |      |      |       | 415            | 2000            | 1790             | 898                          | 1,35                         | 52,22  | 28,14          | -                       |                                 |
|                                              |      | 14   |      |      |       | 415            | 2200            | 1928             | 967                          | 1,35                         | 56,84  | 29,82          | -                       |                                 |
|                                              |      | 14   |      |      |       | 415            | 2400            | 2057             | 1032                         | 1,35                         | 61,32  | 31,64          | -                       |                                 |
|                                              |      | 14   |      |      |       | 415            | 2600            | 2177             | 1092                         | 1,35                         | 65,94  | 33,46          | -                       |                                 |
|                                              |      | 14   |      |      |       | 415            | 2800            | 2289             | 1149                         | 1,35                         | 70,42  | 35,14          | -                       |                                 |
|                                              |      | 14   |      |      |       | 415            | 3000            | 2392             | 1200                         | 1,35                         | 75,04  | 36,96          | -                       |                                 |
|                                              |      |      |      |      |       |                |                 |                  |                              |                              |        |                |                         |                                 |
| 11136                                        | 0475 | 1600 | XXXX | YYYY | -0000 | 16             | 475             | 1600             | 1700                         | 853                          | 1,35   | 48,32          | 25,28                   | -                               |
|                                              |      | 16   |      |      |       | 475            | 1800            | 1878             | 942                          | 1,35                         | 54,08  | 28,64          | -                       |                                 |
|                                              |      | 16   |      |      |       | 475            | 2000            | 2046             | 1027                         | 1,35                         | 59,68  | 32,16          | -                       |                                 |
|                                              |      | 16   |      |      |       | 475            | 2200            | 2203             | 1105                         | 1,35                         | 64,96  | 34,08          | -                       |                                 |
|                                              |      | 16   |      |      |       | 475            | 2400            | 2351             | 1180                         | 1,35                         | 70,08  | 36,16          | -                       |                                 |
|                                              |      | 16   |      |      |       | 475            | 2600            | 2488             | 1248                         | 1,35                         | 75,36  | 38,24          | -                       |                                 |
|                                              |      | 16   |      |      |       | 475            | 2800            | 2616             | 1313                         | 1,35                         | 80,48  | 40,16          | -                       |                                 |
|                                              |      | 16   |      |      |       | 475            | 3000            | 2734             | 1372                         | 1,35                         | 85,76  | 42,24          | -                       |                                 |
|                                              |      |      |      |      |       |                |                 |                  |                              |                              |        |                |                         |                                 |
| 11136                                        | 0535 | 1600 | XXXX | YYYY | -0000 | 18             | 535             | 1600             | 1912                         | 959                          | 1,35   | 54,36          | 28,44                   | -                               |
|                                              |      | 18   |      |      |       | 535            | 1800            | 2113             | 1060                         | 1,35                         | 60,84  | 32,22          | -                       |                                 |
|                                              |      | 18   |      |      |       | 535            | 2000            | 2301             | 1155                         | 1,35                         | 67,14  | 36,18          | -                       |                                 |
|                                              |      | 18   |      |      |       | 535            | 2200            | 2479             | 1244                         | 1,35                         | 73,08  | 38,34          | -                       |                                 |
|                                              |      | 18   |      |      |       | 535            | 2400            | 2644             | 1327                         | 1,35                         | 78,84  | 40,68          | -                       |                                 |
|                                              |      | 18   |      |      |       | 535            | 2600            | 2799             | 1404                         | 1,35                         | 84,78  | 43,02          | -                       |                                 |
|                                              |      | 18   |      |      |       | 535            | 2800            | 2942             | 1476                         | 1,35                         | 90,54  | 45,18          | -                       |                                 |
|                                              |      | 18   |      |      |       | 535            | 3000            | 3075             | 1543                         | 1,35                         | 96,48  | 47,52          | -                       |                                 |

In conformity with EN442-1: 2014: radiators and convectors

## HOW TO ORDER CARRÉ VERTICAL

Delivery time 15 - 30 working days  
(transport duration not included)



## CARRÉ VERTICAL (CPVN2-ZB)




CPVN2-ZB

PRODUCT GROUP: STEEL

| REFERENCE CODE CUSTOM MADE<br>CARRÉ VERTICAL |      |      |      |      |       | TECHNICAL DATA |                 |                  |                              |                              |        |                |                         |                                 |
|----------------------------------------------|------|------|------|------|-------|----------------|-----------------|------------------|------------------------------|------------------------------|--------|----------------|-------------------------|---------------------------------|
|                                              |      |      |      |      |       | tubes          | width<br>(L mm) | height<br>(H mm) | 75/65/20<br>(Watt)<br>(φ50K) | 55/45/20<br>(Watt)<br>(φ30K) | n-exp. | weight<br>(kg) | water<br>content<br>(l) | electr.<br>resistance<br>(Watt) |
| REF. NR. CARRÉ VERTICAL CPVN2-ZB : 11136     |      |      |      |      |       |                |                 |                  |                              |                              |        |                |                         |                                 |
| 11136                                        | 0595 | 1600 | XXXX | YYYY | -0000 | 20             | 595             | 1600             | 2125                         | 1066                         | 1,35   | 60,40          | 31,60                   | -                               |
|                                              |      | 20   |      |      |       | 595            | 1800            | 2348             | 1178                         | 1,35                         | 67,60  | 35,80          | -                       |                                 |
|                                              |      | 20   |      |      |       | 595            | 2000            | 2557             | 1283                         | 1,35                         | 74,60  | 40,20          | -                       |                                 |
|                                              |      | 20   |      |      |       | 595            | 2200            | 2754             | 1382                         | 1,35                         | 81,20  | 42,60          | -                       |                                 |
|                                              |      | 20   |      |      |       | 595            | 2400            | 2938             | 1474                         | 1,35                         | 87,60  | 45,20          | -                       |                                 |
|                                              |      | 20   |      |      |       | 595            | 2600            | 3110             | 1561                         | 1,35                         | 94,20  | 47,80          | -                       |                                 |
|                                              |      | 20   |      |      |       | 595            | 2800            | 3269             | 1640                         | 1,35                         | 100,60 | 50,20          | -                       |                                 |
|                                              |      | 20   |      |      |       | 595            | 3000            | 3417             | 1715                         | 1,35                         | 107,20 | 52,80          | -                       |                                 |
|                                              |      |      |      |      |       |                |                 |                  |                              |                              |        |                |                         |                                 |
| 11136                                        | 0655 | 1600 | XXXX | YYYY | -0000 | 22             | 655             | 1600             | 2337                         | 1173                         | 1,35   | 66,44          | 34,76                   | -                               |
|                                              |      | 22   |      |      |       | 655            | 1800            | 2582             | 1296                         | 1,35                         | 74,36  | 39,38          | -                       |                                 |
|                                              |      | 22   |      |      |       | 655            | 2000            | 2812             | 1411                         | 1,35                         | 82,06  | 44,22          | -                       |                                 |
|                                              |      | 22   |      |      |       | 655            | 2200            | 3029             | 1520                         | 1,35                         | 89,32  | 46,86          | -                       |                                 |
|                                              |      | 22   |      |      |       | 655            | 2400            | 3232             | 1622                         | 1,35                         | 96,36  | 49,72          | -                       |                                 |
|                                              |      | 22   |      |      |       | 655            | 2600            | 3421             | 1717                         | 1,35                         | 103,62 | 52,58          | -                       |                                 |
|                                              |      | 22   |      |      |       | 655            | 2800            | 3596             | 1804                         | 1,35                         | 110,66 | 55,22          | -                       |                                 |
|                                              |      | 22   |      |      |       | 655            | 3000            | 3759             | 1886                         | 1,35                         | 117,92 | 58,08          | -                       |                                 |
|                                              |      |      |      |      |       |                |                 |                  |                              |                              |        |                |                         |                                 |
| 11136                                        | 0715 | 1600 | XXXX | YYYY | -0000 | 24             | 715             | 1600             | 2550                         | 1280                         | 1,35   | 72,48          | 37,92                   | -                               |
|                                              |      | 24   |      |      |       | 715            | 1800            | 2817             | 1413                         | 1,35                         | 81,12  | 42,96          | -                       |                                 |
|                                              |      | 24   |      |      |       | 715            | 2000            | 3069             | 1540                         | 1,35                         | 89,52  | 48,24          | -                       |                                 |
|                                              |      | 24   |      |      |       | 715            | 2200            | 3305             | 1658                         | 1,35                         | 97,44  | 51,12          | -                       |                                 |
|                                              |      | 24   |      |      |       | 715            | 2400            | 3526             | 1769                         | 1,35                         | 105,12 | 54,24          | -                       |                                 |
|                                              |      | 24   |      |      |       | 715            | 2600            | 3732             | 1873                         | 1,35                         | 113,04 | 57,36          | -                       |                                 |
|                                              |      | 24   |      |      |       | 715            | 2800            | 3923             | 1968                         | 1,35                         | 120,72 | 60,24          | -                       |                                 |
|                                              |      | 24   |      |      |       | 715            | 3000            | 4101             | 2058                         | 1,35                         | 128,64 | 63,36          | -                       |                                 |
|                                              |      |      |      |      |       |                |                 |                  |                              |                              |        |                |                         |                                 |
| 11136                                        | 0775 | 1600 | XXXX | YYYY | -0000 | 26             | 775             | 1600             | 2762                         | 1386                         | 1,35   | 78,52          | 41,08                   | -                               |
|                                              |      | 26   |      |      |       | 775            | 1800            | 3052             | 1531                         | 1,35                         | 87,88  | 46,54          | -                       |                                 |
|                                              |      | 26   |      |      |       | 775            | 2000            | 3324             | 1668                         | 1,35                         | 96,98  | 52,26          | -                       |                                 |
|                                              |      | 26   |      |      |       | 775            | 2200            | 3580             | 1796                         | 1,35                         | 105,56 | 55,38          | -                       |                                 |
|                                              |      | 26   |      |      |       | 775            | 2400            | 3820             | 1917                         | 1,35                         | 113,88 | 58,76          | -                       |                                 |
|                                              |      | 26   |      |      |       | 775            | 2600            | 4043             | 2029                         | 1,35                         | 122,46 | 62,14          | -                       |                                 |
|                                              |      | 26   |      |      |       | 775            | 2800            | 4250             | 2133                         | 1,35                         | 130,78 | 65,26          | -                       |                                 |
|                                              |      | 26   |      |      |       | 775            | 3000            | 4442             | 2229                         | 1,35                         | 139,36 | 68,64          | -                       |                                 |
|                                              |      |      |      |      |       |                |                 |                  |                              |                              |        |                |                         |                                 |
| 11136                                        | 0895 | 1600 | XXXX | YYYY | -0000 | 30             | 895             | 1600             | 3187                         | 1599                         | 1,35   | 90,60          | 47,40                   | -                               |
|                                              |      | 30   |      |      |       | 895            | 1800            | 3521             | 1767                         | 1,35                         | 101,40 | 53,70          | -                       |                                 |
|                                              |      | 30   |      |      |       | 895            | 2000            | 3836             | 1925                         | 1,35                         | 111,90 | 60,30          | -                       |                                 |
|                                              |      | 30   |      |      |       | 895            | 2200            | 4131             | 2073                         | 1,35                         | 121,80 | 63,90          | -                       |                                 |
|                                              |      | 30   |      |      |       | 895            | 2400            | 4407             | 2211                         | 1,35                         | 131,40 | 67,80          | -                       |                                 |
|                                              |      | 30   |      |      |       | 895            | 2600            | 4665             | 2341                         | 1,35                         | 141,30 | 71,70          | -                       |                                 |


In conformity with EN442-1: 2014: radiators and convectors

CARRÉ PLUS VERTICAL (CPVN-PLUS)



| CPVN-PLUS                                         |       |       |      |      |      |     |     |     |     |
|---------------------------------------------------|-------|-------|------|------|------|-----|-----|-----|-----|
| Number of tubes                                   | 10    | 12    | 14   | 16   | 18   | 20  | 22  | 26  | 30  |
| Width (L)                                         | 295   | 355   | 415  | 475  | 535  | 595 | 655 | 775 | 895 |
| Centre between the connections at the bottom (R1) | 240   | 300   | 360  | 420  | 480  | 540 | 600 | 720 | 840 |
| Height (H)                                        | 1400  | 1600  | 1800 | 2000 | 2200 |     |     |     |     |
| Centre between the lateral connections 23/67 (R2) | 1365  | 1565  | 1765 | 1965 | 2165 |     |     |     |     |
| Centre between the brackets                       | L-200 | H-290 |      |      |      |     |     |     |     |

CARRÉ VERTICAL (CPVN2-ZB)



| CPVN2-ZB                                             |       |       |      |      |      |      |      |      |      |
|------------------------------------------------------|-------|-------|------|------|------|------|------|------|------|
| Number of tubes                                      | 10    | 12    | 14   | 16   | 18   | 20   | 22   | 26   | 30   |
| Width (L)                                            | 295   | 355   | 415  | 475  | 535  | 595  | 655  | 775  | 895  |
| Centre between the connections at the bottom 18 (R1) | 240   | 300   | 360  | 420  | 480  | 540  | 600  | 720  | 840  |
| Height (H)                                           | 1400  | 1600  | 1800 | 2000 | 2200 | 2400 | 2600 | 2800 | 3000 |
| Centre between the lateral connections 23/67 (R2)    | 1365  | 1565  | 1765 | 1965 | 2165 | 2365 | 2565 | 2765 | 2965 |
| Centre between the brackets                          | L-145 | H-155 |      |      |      |      |      |      |      |