

MATERIAL: STEEL. BASE SUPPORT AND UPPER TIP: STAINLESS STEEL.



MILANO FREE-STANDING IS AVAILABLE IN ALL COLORS OF THE TUBES RANGE, except chrome grey GRCR.

| Model         | <b>L</b><br>(cm) | <b>H</b><br>(cm) | Watt  | Price Price<br>Category Category<br>CO (€)* C1/C2/TRAS (€)** | Price<br>Category<br>Cat. C3 (€)** |
|---------------|------------------|------------------|-------|--|------------------------------------|
|               |                  |                  |       |  |                                    |
| MLN2#170BMELE | 25,8             | 171,5            | 800W  |  |                                    |
| MLN2#200BMELE | 25,8             | 199,0            | 900W  |  |                                    |
| MLN2#230BMELE | 25,8             | 227,0            | 1000W |  |                                    |


<sup>\*</sup> Standard White Tubes
\*\* See the official Tubes colour chart




Price per radiator/Towel warmer in White Standard colour code 9010 – VAT and transport excluded.



# **ELECTRIC BASE version**





## Product code MLN2#200BAELI9010

MLN2#200BAELI Article code specified in the price table
9010 Colour/finish code specified in the Official TUBES COLOUR CHART

## **ADDITIONAL COLOUR CHARGES**

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

## **MILANO BASE version with RECESSED CONNECTION**

| Model         | <b>H</b><br>(cm) | <b>L</b><br>(cm) | Heat output<br>in Watts | Price<br>Standard White<br>Cat. CO (€) | Price<br>Category<br>C1/C2 (€) | Price<br>Category<br>Cat. C3 (€) |
|---------------|------------------|------------------|-------------------------|--|--------------------------------|----------------------------------|
| MLN2#170BAELI | 171,5            | 25,8             | 800 W                   |  |                                |                                  |
| MLN2#200BAELI | 199,0            | 25,8             | 900 W                   |  |                                |                                  |
| MLN2#230BAELI | 227,0            | 25,8             | 1000 W                  |  |                                |                                  |

# **Set-up for Milano ELECTRIC FLOOR RECESS**

| Code         | Description         | Price (€) |
|--------------|---------------------|-----------|
| INCMLNBA#ELI | Milano Floor Recess |           |

## **ELECTRIC CONTROLS**

Electric control is via the use of the ZRF007 thermostat which regulates the room temperature by interacting with up to a maximum of 5 radiators.


|                     | Code   | Description  | Finishes | Price (€) |
|---------------------|--------|--|----------|-----------|
| TUBES + Cod. ZRF007 | ZRF007 | Radio frequency Room Thermostat Kit with weekly programmer for wall mounting, wireless and certified ECOdesign. The Kit includes the wall box radio frequency receiver which must strictly be installed. | White    |           |




Price per radiator/Towel warmer in White Standard colour code 9010 - VAT and transport excluded.



# **ELECTRIC WALL version**





## Product code MLN2#200PAELI9010

MLN2#200PAELI Article code specified in the price table
9010 Colour/finish code specified in the Official TUBES COLOUR CHART

# **ADDITIONAL COLOUR CHARGES**

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

# MILANO WALL VERSION with RECESSED PART

| Model         | <b>H</b><br>(cm) | <b>L</b><br>(cm) | Heat output<br>in Watts | Price<br>Standard White<br>Cat. CO (€) | Price<br>Category<br>C1/C2 (€) | Price<br>Category<br>Cat. C3 (€) |
|---------------|------------------|------------------|-------------------------|--|--------------------------------|----------------------------------|
| MLN2#170PAELI | 171,5            | 31,3             | 800 W                   |  |                                |                                  |
| MLN2#200PAELI | 199,0            | 31,3             | 900 W                   |  |                                |                                  |
| MLN2#230PAELI | 227,0            | 31,3             | 1000 W                  |  |                                |                                  |

# **Set-up for Milano ELECTRIC WALL RECESS**

| Code  | Description  | Price (€) |
|---|--|-----------|
| INCMLNPA#ELI170 INCMLNPA#ELI200 INCMLNPA#ELI230 | Milano 170 Wall Recess<br>Milano 200 Wall Recess<br>Milano 230 Wall Recess |           |


## **ELECTRIC CONTROLS**


Electric control is via the use of the ZRF007 thermostat which regulates the room temperature by interacting with up to a maximum of 5 radiators.

|                     | Code   | Description  | Finishes | Price (€) |
|---------------------|--------|--|----------|-----------|
| rudes + cod. ZRF007 | ZRF007 | Radio frequency Room Thermostat Kit with weekly programmer for wall mounting, wireless and certified ECOdesign. The Kit includes the wall box radio frequency receiver which must strictly be installed. | White    |           |









#### Product code MLN#170BAIDR9010

MLN#170BAIDR Article code specified in the price table

Colour/finish code specified in the Official TUBES COLOUR CHART 9010

#### **ADDITIONAL COLOUR CHARGES**

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

## **BASE VERSION (BA)**

(the prices do not include the set-up for recessing)

| (the prices do not include th | ic set up for recess | 6/   |                      |                |           |             |
|-------------------------------|----------------------|------|----------------------|----------------|-----------|-------------|
|                               |                      |      | Heat output in Watts | Price          | Price     | Price       |
| Model                         | Н                    | L    | COLOURED version     | Standard White | Category  | Category    |
|                               | (cm)                 | (cm) | ΔТ. 50°C ΔТ. 30°C    | Cat. CO (€)    | C1/C2 (€) | Cat. C3 (€) |
|                               |                      |      |                      |                |           |             |
| MLN#170BAIDR                  | 171,5                | 25,8 | 800 422              |                |           |             |
| MLN#200BAIDR                  | 199,0                | 25,8 | 934 494              |                |           |             |
| MI N#230BAIDR                 | 227.0                | 25.8 | 1079 565             |                |           |             |

#### Milano Floor Recess

It includes the wall recessed part for connection to the Remote Valve Assembly (GVR) and the support for the external part of Milano

| Model        | Description         | Price |
|--------------|---------------------|-------|
|              |                     | (€)   |
| INCMLNBA#IDR | Milano Floor Recess |       |

**Remote valve assembly – GVR** For more information on the choice of val





| Code              | Description  | Finishes             | Price (€) |
|-------------------|--|----------------------|-----------|
| GVR#1<br>GVRTG#1  | RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection RECESSED thermostatic valve and Lockshield assembly for REMOTE connection* | Chromed<br>Plated    |           |
| GVRC#1<br>GVRTC#1 | RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection RECESSED thermostatic valve and Lockshield assembly for REMOTE connection* | Coloured<br>Coloured |           |

Colored Finishes: see categories CO, C1, C2 and C3 of the Tubes color chart \* The price does not include the cost of the thermostatic head (see page 320)









#### Product code MLN#170PAIDR9010

MLN#170PAIDR Article code specified in the price table

Colour/finish code specified in the Official TUBES COLOUR CHART 9010

#### **ADDITIONAL COLOUR CHARGES**

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

# WALL VERSION (PA)

| Model        | н     | L    | Heat output in Watts COLOURED version | Price<br>Standard White | Price<br>Category | Price<br>Category |
|--------------|-------|------|---------------------------------------|-------------------------|-------------------|-------------------|
|              | (cm)  | (cm) | ΔT. 50°C ΔT. 30°C                     | Cat. CO (€)             | C1/C2 (€)         | Cat. C3 (€)       |
|              |       |      |                                       |                         |                   |                   |
| MLN#170PAIDR | 171,5 | 31,3 | 800 422                               |                         |                   |                   |
| MLN#200PAIDR | 199,0 | 31,3 | 934 494                               |                         |                   |                   |
| MLN#230PAIDR | 227,0 | 31,3 | 1079 565                              |                         |                   |                   |

#### Milano Wall Recess

It includes the wall recessed part for connection to the Remote Valve Assembly (GVR) and the support for the external part of Milano.

| Model           | Description            | Price<br>(€) |
|-----------------|------------------------|--------------|
| INCMLNPA#IDR170 | Milano 170 Wall Recess |              |
| INCMLNPA#IDR200 | Milano 200 Wall Recess |              |
| INCMLNPA#IDR230 | Milano 170 Wall Recess |              |

Recessed part for MILANO Wall Type

**Remote valve assembly – GVR**For more information on the choice of valves, see p. 312



| Code   | Description  | Finishes             | Price (€) |
|--|--|----------------------|-----------|
| GVR#1<br>GVRTG#1                                     | RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection RECESSED thermostatic valve and Lockshield assembly for REMOTE connection* | Chromed<br>Plated    |           |
| GVRC#1<br>GVRTC#1                                    | RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection RECESSED thermostatic valve and Lockshield assembly for REMOTE connection* | Coloured<br>Coloured |           |
| Plated finishes: See table of Tubes special finishes |  |                      |           |

Colored Finishes: see categories CO, C1, C2 and C3 of the Tubes color chart
\* The price does not include the cost of the thermostatic head (see page 320)