RECOMMENDED FOR BATHROOM AND KITCHEN (O-NP-EL) IN OPTION



towel rail MULTI+ right (S600)

towel rail MULTI+ right (RAL 9005)

REGULATION (RF THERMOSTAT)



Included in the price!

TYPES

- O-P-EL: with one (1400 mm) or two (1800/2000 mm) cut-outs for hanging towels
- O-NP-EL: without cut-outs

COLOURS

- Standard colour S600 (fine texture white) (RAL 9016: no extra charge 15%)
- Extensive colour chart

SPECIAL

- Standard radiator in combination with RF thermostat (RF thermostat included in the price)
- Low weight: so it can be placed quickly and easily by a single installer
- Dry aluminium radiator
- Pleasant radiant heat through innovative infrared technology

BRACKETS

- Wall brackets standard
- Only vertical mounting is possible

TECHNICAL

- · KTL priming coat, powder coating
- Control of the room temperature
- Surface temperature regulation
- IPX4 Class II

ACCESSORIES

TECHNICAL DRAWINGS



AVAILABLE VERSIONS



MANUAL CONTROL

-0000 = radiator + RF thermostat (included in the price). The radiator can only be

operated via the included RF thermostat (white).



RF THERMOSTAT

Standard version.

-0014 = radiator without RF thermostat

If you wish to operate several radiators with a single RF thermostat, it's enough to order just one radiator in the version -0000 and the other(s) in the version -0014.



VCC APP* CONTROL

-0015 = the radiator (with cable and schuko plug 90°) can only be operated via the optional E-Volve E-V-WIFI (white or grey) (E-Volve E-V-WIFI to be ordered separately)



E-VOLVE E-V-WIFI

colour	ref. nr.	price €
white	1184 007 0000 9016	OD
grey	1184 007 0000 7047	OD

One E-Volve E-V-WIFI per radiator. The radiator is operated via the E-Volve E-V-WIFI module to be ordered separately (and NOT via the RF thermostat).

OD = Prices on demand

* Vasco Climate Control (VCC App). Thanks to the Vasco Climate Control (VCC App) you can log in anywhere and at any time and set your optimal indoor comfort. For more information see p. 5.

PRODUCT GROUP: ELECTRICAL COMPONENTS




DOMOTICS CONTROL

-0015 = radiator without control, with cable and schuko plug 90°

This radiator (with cable and schuko plug 90°) may only be used in combination with a building management system (domotics) or external thermostat equipped with: a weekly programme + open window detection or adaptive start control or remote control, in order to satisfy the European ECO Design Directive 2015/1188.

HOW TO ORDER

- 1. Choose the desired model of the radiator in the following table.
- 2. Select the desired control (see explanation bottom left) depending on the desired control, extra accessories will have to be ordered
- 3. The total price is determined by the type of device chosen and any accessories.



Stock radiators only possible in version with ref. nr. (5 digits) - see table

STEP 1 Choose the model of radiator



						TECHNICAL DATA			
REFERENCE CODE CUSTOM MADE ONI-EL							height (H mm)	weight (kg)	electr. resistance (Watt)
REF. NR. 0-P-EL: 11348									
11348	0500	1400	0000	YYYY	-0000 -0014 -0015	500	1400	17,80	750
11348	0500	1800	0000	YYYY	-0000 -0014 -0015	500	1800	22,00	1000
REF. NR. O-NP-EL: 11356									
11356	0500	1400	0000	YYYY	-0000 -0014 -0015	500	1400	17,80	750
11356	0500	1800	0000	YYYY	-0000 -0014 -0015	500	1800	22,00	1000

Please indicate colour when ordering (YYYY)

STEP 2 You choose the accessories

Depending on the desired control you may have to order extra accessories. See page to the left.

STEP 3 Total price = price of electric radiator + price of accessories